Local Authority Officer	Garin Eldred
Department	Environmental Health Department
Address	Civic Centre Castle Street Merthyr Tydfil CF47 8AN
Telephone	01685 727415
E-mail	garin.eldred@merthyr.gov.uk
Report Reference number	MTCBC/GE/2019
Date	17/09/2020

chymeradwyaeth gan y Cyngor, cymeradwyodd Llywodraeth Cymru'r cynllun gweithredol i wrthdroi llif y traffig ar hyd Stryd Fawr Pontmorlais a Heol yr Eglwys fel camau cychwynnol i ymdrin â'r AQMA.

Ar 28 Mai 2019, cafodd y llif traffig ei wrthdroi ar hyd Stryd Fawr Pontmorlais a Heol yr Eglwys. Darparodd hyn lwybrau amgen, i ffwrdd o Tesco a chanol y dref yn hytrach na bod angen defnyddio Heol Twynyrodyn. Ymddengys fod traffig sy'n ymgynnull wedi symud a bod llai o dagfeydd traffig ar Heol Twynyrodyn.

Mae CBSMT hefyd yn ystyried effaith yr ansawdd aer ar ddatblygiadau newydd, a lle y mae hynny'n bosibl, defnyddir amodau cynllunio er mwyn lliniaru'r effeithiau negyddol. Mae'r Cynllun Trafnidiaeth Lleol yn cefnogi teithio gweithredol a'r defnydd o drafnidiaeth gyhoeddus er mwyn lleihau dibyniaeth ar geir.

as an initial action to address the levels of  $NO_2$  within the AQMA.

On 28<sup>th</sup> May 2019 traffic flow was reversed along Pontmorlais High Street and Church Street. This provided alternative routes away from Tesco and the Town Centre area other than Twynyrodyn Road. Traffic build-up appears to have shifted away from the AQMA with fewer queues developing on Twynyrodyn Road.

MTCBC also consider the impact on air quality of new developments, and where necessary planning conditions are used to mitigate any negative effects. The Local Transport Plan supports active travel and use of public transport to reduce reliance on cars.

# Camau i Wella Ansawdd yr Aer

Yn 2018, cynhaliwyd ymgynghoriad cyhoeddus, 12 wythnos o hyd er mwyn trafod AQMA Heol Twynyrodyn. Ymgynghorwyd â'r cyhoedd ar 3 opsiwn er mwyn lleihau'r traffig ar Heol Twynyrodyn. Mynegodd y mwyafrif o

# **Actions to Improve Air Quality**

With regards to the Twynyrodyn Road AQMA, in 2018 a 12 week public consultation took place. The public were consulted on 3 options to reduce traffic use of Twynyrodyn Road. Most respondents (94%) expressed a preference

ymatebwyr (94%) fod yn well ganddynt yr opsiwn o wrthdroi llif y traffig ar hyd Stryd Fawr Pontmorlais a Heol yr Eglwys. Cymeradwyodd y Cyngor y dylai cynllun gweithredu gael ei gyflwyno i Lywodraeth Cymru. Derbyniwyd a chymeradwywyd y cynllun gan Lywodraeth Cymru.

Yn mis Tachwedd 2018, cyhoeddodd Adran y Priffyrdd a Pheirianneg, Orchmynion Rheoliadau Traffig. Ar 28 Mai 2019, cafodd y llif traffig ei wrthdroi, yn unol â'r cynllun gweithredu gymeradwywyd. Mae cyfrifiadau traffig ar gael yn awr sydd yn meintioli arsylwadau a wnaethpwyd gan Swyddogion Iechyd yr Amgylchedd fod llai o dagfeydd traffig ar Heol Twynyrodyn (yr AQMA.) Mae'r arolwg traffig a wnaethpwyd cyn ac ar ôl gweithrediad gwrthdroi'r llif traffig ar hyd Stryd Fawr Pontmorlais yn dangos gostyngiad ar gyfartaledd o 428 cerbyd ar AQMA Heol Twynyrodyn ar Ddydd Gwener pan fydd y traffig ar ei brysuraf. Nodwyd fod rhai tagfeydd traffig o amgylch Avenue de Clichy a Stryd Fawr Pontmorlais yn ystod oriau brig. Gwelwyd cynnydd o 677 cerbyd, ar gyfartaledd yn ystod yr wythnos ar hyd Avenue de Clichy. Ni ystyrir fod hyn yn debygol o achosi risg i iechyd y cyhoedd gan fod tai preswylwyr yn ôl oddi wrth y ffordd ac nid oes unrhyw ardal ar hyd y ffordd lle y byddai pobl yn for the option of reversing traffic flow along Pontmorlais High Street and Church Street. The Council approved an action plan to this effect being submitted to Welsh Government, who subsequently approved it.

In November 2018 the Highways and Engineering Department issued Traffic Regulation Orders. On 28<sup>th</sup> May 2019 traffic flow was reversed in accordance with the approved action plan. Traffic counts are now available which quantify observations made by Environmental Health Officers that there is less traffic build-up in the Twynyrodyn Road AQMA. The traffic survey carried out prior to and after the reversal of flow along Pontmorlais High Street shows a reduction in the volume of traffic travelling along Twynyrodyn Road AQMA by an average of 428 vehicles on a Friday when traffic volumes are at their highest. Some traffic build-up around Avenue de Clichy and Pontmorlais High Street has been observed during peak times which has also been evidenced by the traffic survey, with an average weekday increase of 677 vehicles movements along the Avenue de Clichy. This is not considered likely to pose a public health risk as residential properties are set back from the road and there are no areas along it where people are likely to

debygol o aros yno am fwy nag 1 awr. Ar ochr orllewinol Avenue de Clichy mae Afon Taf, felly nid oes unrhyw hafnau stryd posib. Gobeithir y bydd y newid yn y dosbarthiad traffig yn arwain at welliant arwyddocaol yn ansawdd yr aer oddi fewn i'r AQMA.

spend 1 hour+. On the West side of Avenue de Clichy is the River Taff, so there are no possible street canyons. The early observations suggest that the traffic reversal has made improvements in air quality within the AQMA.

### Blaenoriaethau Lleol a Heriau

# Y flaenoriaeth ar gyfer 2019 oedd gweithredu'r cynllun gweithredu gymeradwywyd ac ar fonitro effeithioldeb. Er mwyn gwneud hyn, mae tiwbiau tryledol ychwanegol wedi cael eu gosod ar hyd y llwybr traffig sydd wedi ei wrthdroi ac ar strydoedd cyfagos ac mae monitor yr ECC wedi cael ei adleoli i Stryd Fawr Pontmorlais. Nid yw gwrthdroi'r traffig wedi cynnyddu lefelau NO2 ar hyd Stryd Fawr Pontmorlais nac ychwaith ar hyd unrhyw wyriad arall.. Os bydd gwrthdroi'r traffig yn parhau i fod yn llwyddiannus ac yn gwella ansawdd yr aer ar Heol Twynyrodyn trwy 2020 a 2021, bydd yr AQMA yn cael ei ddiddymu erbyn 2022 gan y bydd lefelau NO<sub>2</sub> dipyn y llai o ganlyniad i'r pandemig coronavirus a'r cyfnod clo a fydd yn cael effaith ar ganlyniadau. Os bydd yn aflwyddiannus, bydd gwaith ychwanegol yn cael ei

### **Local Priorities and Challenges**

The priority for 2019 was the implementation of the approved action plan, and ongoing monitoring of its effectiveness. To that end additional diffusion tubes have been installed along the traffic reversal route and surrounding streets, the ECC monitor has also been relocated to Pontmorlais High Street. The doesn't reversal appear to significantly increased levels of NO<sub>2</sub> along Pontmorlais High Street or any other diversion routes. If the traffic reversal continues to be successful in improving air quality on Twynyrodyn Road through 2020 and 2021, this will enable the AQMA to be revoked by 2022 as NO<sub>2</sub> levels for 2020 will significantly lower due to the coronavirus pandemic and the associated lockdown period, skewing the results. If unsuccessful additional works will be considered in updated action plans.

ystyried mewn cynlluniau gweithredu a fydd yn cael eu diweddaru.

Mae monitro hefyd wedi cael ei ymestyn i gynnwys tiwbiau tryledol ychwanegol mewn mannau a ddynodwyd gan arolwg Sŵn a Seinwedd Llywodraeth Cymru lle y gall traffig trwm hefyd effeithio ar ansawdd yr aer.

Yn ogystal, yn 2018, dynododd rhai misoedd unigol o ddata o diwb tryledol 6/7 Maes Ladysmith y gallai'r cymedr blynyddol o NO<sub>2</sub> pe na bai'n cael ei drin, godi'n uwch na 36µg/m³, oddi fewn i 10% o nod cymedr blynyddol ansawdd yr aer. Dangosodd arsylwadau fod tagfeydd traffig yn achosi canlyniadau mynediad/allanfa i geir o faes parcio wrth Gynradd Gymunedol gefn Ysgol Troedyrhiw. Er mwyn pennu effaith y maes parcio, cafwyd mynediad dros dro iddo yn Rhagfyr 2018 a hynny drwy system un ffordd. Roedd y canlyniadau ar gyfer cyfnod 11 a 12 yn 48µg/m³, lle y dangosodd lleoliadau eraill trwy'r ardal gynnydd amlwg yng nghyfnod 12 a ddynododd fod y system un ffordd yn effeithiol er mwyn gwella ansawdd yr aer. Gallai hyn fod yn sgil llif y traffig neu fod llai o bobl yn defnyddio'r maes parcio. Wedi addasiad tueddiad, roedd y cymedr blynyddol yn 34.6µg/m³, yn is na'r lefel Monitoring has also been extended to include additional diffusion tubes in areas identified by the Welsh Government Noise and Soundscape survey, where heavy traffic may also affect air quality.

Additionally in 2018 some individual months of diffusion tube data from 6/7 Ladysmith Place indicated if unaddressed the annual mean concentration of NO2 could have exceeded 36µg/m³, within 10% of the annual mean air quality objective. Observations showed bottle necks caused by car access/egress from a car park to the rear of Troedyrhiw Community Primary School, combined with parked cars along Cardiff Road. To determine the impact of the car park, in December 2018 and early January 2019 it was only temporarily accessible via a one way system. Results for period 11 and period 12 were both 48μg/m<sup>3</sup>, whereas other sites throughout the district showed a noticeable increase in period 12, indicating the one-way system was effective at improving air quality. This may be by improving traffic flow or by putting people off using the car park. After bias adjustment the annual mean was 34.6µg/m³, below the level for concern. During 2019 the level of NO<sub>2</sub> for 6/7 Ladysmith Place had decreased slightly to 33.3µg/m<sup>3</sup> and an additional tube for

sy'n codi pryder. Mae'r maes parcio wedi ei ail agor. Yn seiliedig ar ein profiad o dagfeydd traffig, mae tiwbiau ychwanegol wedi cael eu gosod yn yr ardal hon er mwyn i ni gael darlun llawnach. further assessment of Cardiff Road, placed at 37 Brookfield Terrace was well below the AQS objective at  $27.8 \mu g/m^3$ .

### Sut i fod yn rhan

# Mae gwybodaeth bellach ynghylch llygredd yr aer yn ogystal â mynediad i adroddiadau ansawdd aer blaenorol ar gael ar <a href="www.merthyr.gov.uk">www.merthyr.gov.uk</a>. Gellir gofyn cwestiynau penodol drwy e-bostio <a href="mailto:PublicHealth@merthyr.gov.uk">PublicHealth@merthyr.gov.uk</a> neu drwy ffonio 01685 725000.

### How to Get Involved

Further information on air pollution including access to previous air quality is reports available from www.merthyr.gov.uk. Specific questions be addressed can by emailing PublicHealth@merthyr.gov.uk by or telephoning 01685 725000.

# **Table of Contents**

Ex	ecutiv	e Summary: Air Quality in Our Area	3
1.	Act	tions to Improve Air Quality	iii
	1.1	Previous Work in Relation to Air Quality	iii
	1.2	Air Quality Management Areas	2
	1.3	Implementation of Action Plans	4
2.	Air	Quality Monitoring Data and Comparison with Air Quality Objectives	13
	2.1	Summary of Monitoring Undertaken in 2018	13
	2.1.	1 Automatic Monitoring Sites	13
	2.1.	2 Non-Automatic Monitoring Sites	23
	2.2	2018 Air Quality Monitoring Results	35
	2.3	Comparison of 2018 Monitoring Results with Previous Years and the Air Quality	
	Object	ives	50
	2.3.	1 Nitrogen Dioxide (NO <sub>2</sub> )	51
	2.3.	2 Particulate Matter (PM <sub>10</sub> )	53
	2.3.	3 Particulate Matter (PM <sub>2.5</sub> )	54
	2.4	Summary of Compliance with AQS Objectives as of 2018	54
3.	Ne	w Local Developments	56
	3.1	Road Traffic Sources (and Other Transport)	56
	Narrov	w Congested Streets with Residential Properties Close to the Kerb	56
	3.2	Industrial / Fugitive or Uncontrolled Sources / Commercial Sources	62
	3.3	Planning Applications Error! Bookmark not	defined.
	3.4	Other Sources	defined.
4.	Pol	licies and Strategies Affecting Airborne Pollution	64
	4.1	Local / Regional Air Quality Strategy	64
	4.2	Air Quality Planning Policies	64
	4.3	Local Transport Plans and Strategies	65
	4.4	Active Travel Plans and Strategies	66
	4.5	Local Authorities Well-being Objectives	66
	4.6	Green Infrastructure Plans and Strategies	67
	4.7	Climate Change Strategies	67
5.	Coi	nclusions and Proposed Actions	68
	5.1	Conclusions from New Monitoring Data	68
	5.2	Conclusions relating to New Local Developments	68

5.3	Other Conclusions	69
5.4	Proposed Actions	70
Referer	ncesE	rror! Bookmark not defined.
Append	dices	73
Append	dix A: Monthly Diffusion Tube Monitoring Results	74
Append	dix B: A Summary of Local Air Quality Management	76
Purp	ose of an Annual Progress Report	76
Air Q	uality Objectives	76
Append	dix C: Air Quality Monitoring Data QA/QC	78
Di	ffusion Tube Bias Adjustment Factors	78
Fa	actor from Local Co-location Studies	79
Di	scussion of Choice of Factor to Use	79
PI	M Monitoring Adjustment	79
Sh	nort-Term to Long-Term Data Adjustment	80
Q	A/QC of Automatic Monitoring	81
Q	A/QC of Diffusion Tube Monitoring	82
Append	dix D: AQMA Boundary Maps	85
The dat	ta is available on request	86
Glossar	v of TermsE	rror! Bookmark not defined.

### **List of Tables**

- Table 1.1: Declared Air Quality Management Areas
- Table 1.2: Progress on measures to improve air quality
- Table 2.1: Details of automatic monitoring sites
- Table 2.2: Details of non-automatic monitoring sites
- Table 2.3: Annual mean NO<sub>2</sub> monitoring results
- Table 2.4: 1 hour mean NO<sub>2</sub> monitoring results
- Table 2.5: Annual mean PM<sub>10</sub> monitoring results
- Table 2.6: 24-hour mean PM<sub>10</sub> monitoring results
- Table 2.7: Annual mean PM<sub>2.5</sub> monitoring results

# **List of Figures**

- Figure 1.1: Timeline of events for the Twynyrodyn Road AQMA
- Figure 2.1: Map of automatic monitoring sites
- Figure 2.2: Map of non-automatic monitoring sites across the County Borough
- Figure 2.3: Map of non-automatic monitoring sites across Town Ward
- Figure 2.4: Map of non-automatic monitoring sites across Twynyrodyn
- Figure 2.5: Trends in annual mean NO<sub>2</sub> concentrations all monitoring locations
- Figure 2.6: Trends in annual mean NO<sub>2</sub> concentrations monitoring locations outside Twynyrodyn area
- Figure 2.7: Trends in annual mean NO<sub>2</sub> concentrations monitoring locations within Twynyrodyn area
- Figure 2.8: Trends in annual mean NO<sub>2</sub> concentrations monitoring locations on Twynyrodyn Road
- Figure 2.9: Trends in annual mean NO<sub>2</sub> concentrations monitoring locations within the AQMA
- Figure 2.10: Trends in annual mean NO<sub>2</sub> concentrations monitoring locations on streets surrounding the AQMA
- Figure 2.11: Trends in annual mean NO₂ concentrations collocated monitoring location and ECC at new location
- Figure 2.12: Trends in annual mean NO<sub>2</sub> concentrations collocated monitoring location at previous location
- Figure 2.13: Trends in annual mean PM<sub>10</sub> concentrations
- Figure 2.14: Trends in annual mean PM<sub>2.5</sub> concentrations
- Figure 3.1: Comparison of  $NO_2$  period mean prior to and post Period 6 2019 when the traffic reversal along Pontmorlais was implemented for sites within and surrounding the AQMA

Figure 3.2: Comparison of  $NO_2$  period mean prior to and post Period 6 2019 – when the traffic reversal along Pontmorlais was implemented for sites within Town area and the diversion route

# 1. Actions to Improve Air Quality

# 1.1 Previous Work in Relation to Air Quality

Merthyr Tydfil County Borough Council has previously undertaken the following review and assessment reports as required by Local Air Quality Management:

Report Title	Date	Outcomes
First stage review and assessment	1998	Negligible risk of AQS objective for benzene, 1,3-butadiene, CO and lead being exceeded in the area Possible risk of objectives for PM <sub>10</sub> , SO <sub>2</sub> and NO <sub>2</sub> being exceeded
Second stage review and assessment	2000	Negligible risk of AQS objectives for PM <sub>10</sub> , SO <sub>2</sub> and NO <sub>2</sub> being exceeded in area  Unnecessary to proceed any further with review and assessment process or declare AQMAs
Updating and screening assessment and progress reports	2003-2005	AQS objectives for 7 pollutants likely to be met at all locations with relevant public exposure  Unnecessary to carry out detailed assessment or declare any AQMAs  Progress reports 2004 and 2005 found no significant changes in air quality and no developments that might affect air quality within the borough
Updating and screening assessment and progress reports	2006-2008	AQS objectives for the 7 pollutants detailed in regulations likely to be met at all locations with relevant public exposure

		Unnecessary to carry out a detailed risk assessment or declare any AQMAs  Progress Report 2007 found NO <sub>2</sub> levels had increased but within AQS objective of 40 µg/m³ at all locations  Level at 55 Twynyrodyn Road, was within 10% of the limit and monitoring network expanded in this area  Progress report 2008 found levels increased and at 55 Twynyrodyn Road, a marginal exceedence identified  Considered necessary to proceed to detailed assessment
Detailed assessment	2009	Reviewed data for monitoring sites on Twynyrodyn Road and modelled NO <sub>2</sub> levels for length of the road  Recommended siting of additional diffusion tubes at various points on road and declaring AQMA
Updating and screening assessment and progress reports	2009-2011	NO <sub>2</sub> reduced, AQS objectives met at all locations with relevant public exposure  2010 progress report determined based on reduction no longer necessary to carry out further detailed assessment or declare AQMA  Detailed assessments necessary for 2 new permitted processed and 1 substantially changed installation

		Progress report 2011 found NO <sub>2</sub> levels had increased throughout borough, with marked exceedence at 55 Twynyrodyn Road  Considered necessary to increase number of monitoring sites on Twynyrodyn Road prior to declaring AQMA in relation to this site
Detailed assessment	2011	Reviewed emissions data from Prince Charles Hospital combustion plant Concluded emissions will not result in any exceedences of objectives unless on-site emergency generators used for extended periods
Updating and screening assessment and progress reports	2012-2014	No new developments or proposed developments that could be considered to adversely affect air quality  1 exceedence of NO <sub>2</sub> at 55 Twynyrodyn Road  Progress report 2013 found action to reduce  NO <sub>2</sub> levels at 55 Twynyrodyn Road, has reduced it to below AQS objective  Additional monitoring found further location on same road link where NO <sub>2</sub> levels exceeded AQS objective  Progress report 2014 identified new bus station development proposed may adversely affect NO <sub>2</sub> . Environmental Health Department liaised with Regeneration Group to ensure air quality considered in planning process  NO <sub>2</sub> levels on Twynyrodyn Road had increased to exceed AQS objective. Unclear if temporary

		and related to ongoing changes to traffic flow.  Further monitoring proposed  Detailed assessment and declaration of AQMA on Twynyrodyn Road necessary.
Detailed assessment	2015	Elevated NO <sub>2</sub> on Twynyrodyn Road associated with traffic. Wind speed and direction, and 2-storey terraced housing without front gardens resulted in NO <sub>2</sub> accumulating around 55 Twynyrodyn Road  Predominantly associated with uphill traffic during early evening  Considered necessary to declare AQMA from Western End of Twynyrodyn Road to 147 Gilfach Cynon  MTCBC declared AQMA on 30 <sup>th</sup> January 2017
Updating and screening assessment and progress reports	2015-2017	Proposed bus station could adversely affect air quality. Modelling indicates likely to comply with AQS objectives, to be monitored with diffusion tubes prior to bus station opening as modelling based on limited data  NO2 exceedences were contained within AQMA on Twynyrodyn Road  Action plan under development for public consultation, on options to improve traffic flow and reduce traffic numbers  Additional monitoring in Swansea Road area in anticipation of Trago Mills opening, attracting additional traffic to Swansea Road area

Annual report	2018	NO <sub>2</sub> exceedences were contained within AQMA on Twynyrodyn Road  Action plan to reverse traffic flow along Pontmorlais High Street and Church approved by Welsh Government following public consultation and Council approval.  Impact of Trago Mills on Swansea Road has not resulted in annual mean within 10% of AQS objective.  Monitoring network reviewed and as of
		January 2019 network will be extended to include traffic reversal area, Troedyrhiw and areas identified in Welsh Government Noise and Soundscape survey.
Annual report	2019	Action plan implemented to reverse traffic flow along Pontmorlais High Street and Church Street on 28 <sup>th</sup> May 2019.  Additional monitoring locations added to the network used to assess any changes in vehicle routes around the town centre and along Pontmorlais High Street and the impact it might have on air quality.  A decrease in levels of NO <sub>2</sub> on Swansea Road around the Trago Mills site has been observed.  All sites within the AQMA are now below the annual air quality objective however a small number of site are still within 10% of the AQS objective.

NO<sub>2</sub> continued to exceed the AQS objective in 2017 along Twynyrodyn Road (stretch near 55 Twynyrodyn Road within AQMA). This was in line with results in previous years.

MTCBC currently has one AQMA, Twynyrodyn Road. Following a detailed assessment in 2015 it was declared in January 2017. It was declared due to elevated NO<sub>2</sub> concentrations caused by road traffic. A draft action plan identified 3 possible changes to traffic flow anticipated to improve traffic flow around the town centre, and consequently reduce NO<sub>2</sub> in the AQMA. A 12-week public consultation was carried out from 16<sup>th</sup> March 2018 to 8<sup>th</sup> June 2018. The majority (94%) of consultation responses were in favour of reversing the traffic flow along Pontmorlais High Street and Church Street. Following the public consultation on 27<sup>th</sup> June 2018 the Council approved the action plan by reversing traffic flow along Pontmorlais for submission to Welsh Government. Welsh Government approved the action plan on 17<sup>th</sup> July 2018. The Highways and Engineering Department issued the relevant traffic management orders and following these on 28<sup>th</sup> May 2019 reversed the traffic flow along Pontmorlais High Street and Church Street.

During some months in 2018 there was an elevated  $NO_2$  concentration at Ladysmith Square, Troedyrhiw. This required further investigation. Observations found traffic was building up at the junction of Phyllis Street and Cardiff Road, where cars were accessing and egressing a small car park to the rear of Troedyhriw Community School. As a semi-rural area a large proportion of children attending the school travel by car. To determine the effect of the car park, in December 2018 a one way system was implemented for 4 weeks, continuing into early January 2019. Most sites across the district had higher  $NO_2$  concentrations in period 12 than period 11, but at 6/7 Ladysmith Place the concentration remained the same. This indicates either lower traffic numbers or better traffic flow had counteracted the normal cold weather deterioration in air quality. As the annual mean  $NO_2$  concentration was below  $36\mu g/m^3$  (more than 10% below the objective) in 2018 no further action is planned at this time. Monitoring has been extended during 2019 further along Cardiff Road, Troedyrhiw to monitor if the section of road is likely to breach the AQS objective. Both 6/7 Ladysmith Place and 37 Brookfield Terrace were below the AQS objective and outside 10% of the figure at  $33.2\mu g/m^3$  and  $27.8\mu g/m^3$  respectively.

### 1.2 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when air quality is close to or above an acceptable level of pollution (known as the air quality objective (Please see Appendix B). After declaring an AQMA the authority must prepare an Air Quality Action Plan (AQAP) within 18 months setting out measures it intends to put in place to improve air quality to at least the air quality objectives, if not even better. AQMA(s) are seen by local authorities as the focal points to channel resources into the most pressing areas of pollution as a priority.

A summary of AQMAs declared by Merthyr Tydfil County Borough Council can be found in Table 1.1. Further information related to declared or revoked AQMAs, including maps of the AQMA boundaries are available online at <a href="https://uk-air.defra.gov.uk/aqma/details?aqma">https://uk-air.defra.gov.uk/aqma/details?aqma</a> ref=2008 and maps are available in Appendix D.

**Table 1.1 – Declared Air Quality Management Areas** 

AQMA	Relevant Air Quality Objective(s)	Comments on Air Quality Trend	City / Town <delete column if not relevant&gt;</delete 	Description	Action Plan
AQMA Twynyrod yn Road	NO₂ annual mean	Data post Period 6 shows an improvement in air quality in the AQMA since the reversal of the traffic on Pontmorlais High Street was implemented on May 28 <sup>th</sup> 2019	Merthyr Tydfil	An area encompassing a number of properties from Tesco Roundabout to Gilfach Cynon.	Air Quality Action Plan 2018 Available from: www.merthyr.gov. uk/resident/pests- pollution-and- food-hygiene/air- pollution/

AMQA boundary maps within Merthyr Tydfil County Borough Council can be viewed at

https://laqm.defra.gov.uk/images/aqma maps/1476 Merthyr%20Tydfil%20AQMA.jpg and are included in Appendix D.

# 1.3 Implementation of Action Plans

Merthyr Tydfil County Borough Council has taken forward a number of measures during 2017-2019 in pursuit of improving local air quality. This is summarised in Figure 1.1. Details of all measures completed, in progress or planned are set out in Table 1.2 – Progress on Measures to Improve Air Quality

Focus	Lead Authority	Planning Phase	Implementation Phase	Indicator	Target Annual Emission Reduction in the AQMA	Progress to Date	Progress in Last 12 Months	Estimated Completion Date
Reduce emissions in the AQMA by providing alternative routes from the town centre	МТСВС	2017- 2018	2019- 2020	Reduction in NO2 at monitoring sites along Twynyrodyn Road, and reduced traffic counts along Twynyrodyn Road	Reduction of 10μg/m3 at monitoring sitez\s 14 and 21	There has been a reduction in levels of NO2 within the AQMA with all sites now below the AQS objective of 40µg/m3.	A reduction in NO2 concentration has been observed within the AQMA post Period 6.	2020
Environmental Permits charges set by Welsh Government and subject to annual review are according to risk, encouraging businesses to comply with permit conditions to operate at lowest applicable risk for process in question	МТСВС			Proportion of businesses in lowest risk category for their type of operation	0% No permitted processes operate within the AQMA	80% (12 out of 15 active permitted processes) were within lowest risk category for their type of operation in 2018/2019	Newly permitted businesses are being given support to reduce their risk to the lowest possible for each site and process	2020
Reduce journeys to and from the town centre by providing an alternative (free during a 6-week trial)	МТСВС	2018	2018	Number of people getting on and off the shuttle bus at the Red house and College stops	<1% Extremely hard if not impossible to prove.	Use of the shuttle bus was low and it ceased to operate on 25th December 2018.	The trial was completed and it was found to be unviable	2018

Focus	Lead Authority	Planning Phase	Implementation Phase	Indicator	Target Annual Emission Reduction in the AQMA	Progress to Date	Progress in Last 12 Months	Estimated Completion Date
Salary sacrifice scheme towards purchase of bicycle	Cycle Solutions	2010	Ongoing	Number of people joining scheme	<1% Extremely hard if not impossible to prove.	Scheme attracts a handful of people every year. To date 160 people have joined the scheme	16 new scheme members in 2018	Ongoing
Encouraging primary school students to walk to school	МТСВС	2010	Ongoing	Number of students walking to school	<1% Extremely hard if not impossible to prove.	Not monitored	Not monitored	Ongoing
Training to primary school children to travel to school by scooter	Sustrans	2010	Ongoing	Number of students scooting to school	<1% Extremely hard if not impossible to prove.	Not monitored	Not monitored	Ongoing

Focus	Lead Authority	Planning Phase	Implementation Phase	Indicator	Target Annual Emission Reduction in the AQMA	Progress to Date	Progress in Last 12 Months	Estimated Completion Date
Training year 6 students on cycling safety	Sustrans	Pre 2010	Ongoing	Number of people signing up to schemes	<1% Extremely hard if not impossible to prove.	Consistently high uptake	Consistently high uptake	Ongoing

. More detail on these measures can be found in the Air Quality Action Plan relating to any designated AQMAs.

Air Quality Action Plans are continuously reviewed and updated whenever deemed necessary, but no less frequently than once every five years. Such updates are completed in close consultation with local communities.

Key completed measures completed in 2018 are: following public consultation and Council approval the action plan has been submitted to and approved by Welsh Government. Traffic management orders were published in November 2018, and following this on 28<sup>th</sup> May 2019 the traffic flow was reversed along Pontmorlais High Street and Church Street.

Merthyr Tydfil County Borough Council has used the following measures to monitor the impact of the reversal of the traffic flow:

Diffusion tube monitoring has been extended to include the traffic reversal area and some surrounding streets where it is possible that people could take alternative routes. This started in January 2019, therefore in 2020 the 12 months data will be available for bias adjustment and review. As the reversal took place from 28<sup>th</sup> May 2019, particular attention has been given to how monitoring periods 6-12 compare to previous years where sites also operated in 2019. Clear evidence has emerged of fewer traffic queues on Twynyrodyn Road and some queues

developing along Avenue de Clichy and Pontmorlais High Street indicate the reversal has been successful in reducing traffic through the AQMA. So far the data suggests that the implementation of the action plan has decreased levels of  $NO_2$  within the AQMA post Period 6. It is hoped that the annual mean  $NO_2$  concentrations along Twynyrodyn Road will continue to decrease in 2020. If annual mean  $NO_2$  concentrations within the AQMA are less than  $36\mu g/m^3$  this will enable the AQMA to be revoked in the near future.

Figure 1.1 - Timeline of events for the Twynyrodyn Road AQMA




Table 1.2 – Progress on Measures to Improve Air Quality

No.	Measure	Focus	Lead Authority	Planning Phase	Implementation Phase	Indicator	Target Annual Emission Reduction in the AQMA	Progress to Date	Progress in Last 12 Months	Estimated Completion Date	Comments Relating to Emission Reductions
1	Reversal of 1- way traffic on both Pontmorlais High Street and Church Street (AQAP 2018)	Reduce emissions in the AQMA by providing alternative routes from the town centre	МТСВС	2017- 2018	2019- 2020	Reduction in NO2 at monitoring sites along Twynyrodyn Road, and reduced traffic counts along Twynyrodyn Road	Reduction of 10μg/m³ at monitoring sitez\s 14 and 21	There has been a reduction in levels of NO <sub>2</sub> within the AQMA with all sites now below the AQS objective of 40µg/m³.	A reduction in NO <sub>2</sub> concentration has been observed within the AQMA post Period 6.	2020	The implementation of the action plan seems to have reduced NO <sub>2</sub> within the AQMA post Period 6 however more data will be required to determine if this decrease continues though 2020.
2	Increase of environmental charges through permit systems	Environmental Permits charges set by Welsh Government and subject to annual review are according to risk, encouraging businesses to comply with permit conditions to operate at lowest applicable risk for process in question	МТСВС			Proportion of businesses in lowest risk category for their type of operation	0% No permitted processes operate within the AQMA	80% (12 out of 15 active permitted processes) were within lowest risk category for their type of operation in 2018/2019	Newly permitted businesses are being given support to reduce their risk to the lowest possible for each site and process	2020	Following inspections businesses are guided on how to achieve full permit compliance

No.	Measure	Focus	Lead Authority	Planning Phase	Implementation Phase	Indicator	Target Annual Emission Reduction in the AQMA	Progress to Date	Progress in Last 12 Months	Estimated Completion Date	Comments Relating to Emission Reductions
3	Saturday shuttle bus provision	Reduce journeys to and from the town centre by providing an alternative (free during a 6-week trial)	МТСВС	2018	2018	Number of people getting on and off the shuttle bus at the Red house and College stops	<1% Extremely hard if not impossible to prove.	Use of the shuttle bus was low and it ceased to operate on 25 <sup>th</sup> December 2018.	The trial was completed and it was found to be unviable	2018	The aim was to bring people to the Town Centre from the outlying retail areas to generate income. The lack of use meant operating the bus was not economically viable
4	Cycle to work scheme	Salary sacrifice scheme towards purchase of bicycle	Cycle Solutions	2010	Ongoing	Number of people joining scheme	<1% Extremely hard if not impossible to prove.	Scheme attracts a handful of people every year. To date 160 people have joined the scheme	16 new scheme members in 2018	Ongoing	The aim is for MTCBC works to cycle to work. Although many live in Merthyr Tydfil only a few live within or travel through the AQMA and as such effects will be marginal. There is no way of checking of those who have accessed the scheme whether and how often they cycle to work.

No.	Measure	Focus	Lead Authority	Planning Phase	Implementation Phase	Indicator	Target Annual Emission Reduction in the AQMA	Progress to Date	Progress in Last 12 Months	Estimated Completion Date	Comments Relating to Emission Reductions
5	Walking to school initiatives	Encouraging primary school students to walk to school	МТСВС	2010	Ongoing	Number of students walking to school	<1% Extremely hard if not impossible to prove.	Not monitored	Not monitored	Ongoing	Schools including Twynyrodyn Community Primary school are able to take part in schemes to encourage walking to school including addressing road safety, walking buses, etc. This includes a Walk to School week and Kerbcraft Child Pedestrian Training. It is unclear how effective they are at changing parental choice to drive or walk in the long run. There are plans to obtain baseline data on how students travel to school in future.

No.	Measure	Focus	Lead Authority	Planning Phase	Implementation Phase	Indicator	Target Annual Emission Reduction in the AQMA	Progress to Date	Progress in Last 12 Months	Estimated Completion Date	Comments Relating to Emission Reductions
6	Scoot to school	Training to primary school children to travel to school by scooter	Sustrans	2010	Ongoing	Number of students scooting to school	<1% Extremely hard if not impossible to prove.	Not monitored	Not monitored	Ongoing	It is unclear whether being a fun activity means it causes short term rather than long term changes
7	National Standards Cycling Scheme	Training year 6 students on cycling safety	Sustrans	Pre 2010	Ongoing	Number of people signing up to schemes	<1% Extremely hard if not impossible to prove.	Consistently high uptake	Consistently high uptake	Ongoing	By delivery to all 22 primary schools it aims to encourage students starting secondary school to cycle to school.  Although many take the course the number who then start secondary school by cycling and those who maintain it throughout their time at secondary school is not known

# 2. Air Quality Monitoring Data and Comparison with Air Quality Objectives

### 2.1 Summary of Monitoring Undertaken in 2019

### 2.1.1 Automatic Monitoring Sites

This section sets out what monitoring has taken place and how results compare with the objectives.

Merthyr Tydfil County Borough Council undertook automatic (continuous) monitoring at 1 site during 2019, however the equipment developed a fault and was only operational for 14% of the monitoring period. MTCBC monitored  $NO_2$ .

PM<sub>10</sub> and PM<sub>2.5</sub> were also monitored at a site operated by Merthyr (South Wales) Ltd, in accordance with planning conditions for the Ffos-Y-Fran land reclamation scheme. Table 2.1

### Details of Automatic Monitoring Sites

Site ID	Site	Site Type	Associated with (Named)	OS Grid F	teference	Pollutants	Monitoring	Inlet Height
	Name	AQMA?		х	Υ	Monitored	Technique	(m)
APM1	Twynyro dyn School	Suburban		305821	206008	PM10 PM2.5	TEOM	2.43
ECC	98 Pontmorl ais	Kerbside		304987	206411	NO2	ECC	3

### Notes:

(1) Om indicates that the sited monitor represents exposure and as such no distance calculation is required

Figure 2.1 – Maps of Automatic Monitoring Sites



### **ECC LOCATION**



Table 2.2 – Details of Non-Automatic Monitoring Sites

				OS ( Refe	Grid rence		Collocate	Distanc e from	Distanc e from	Distan
Sit e ID	Site Name	Site Type	Associat ed with Named AMQA?	x	Y	Site Heig ht (m)	d with a Continuo us Analyser ?	monito r to nearest relevan t exposu re (m)	Kerb to Neares t Releva nt Exposu re (m)	ce from Kerb to Monit or (m)
1	Imperial Hotel	Roadside		3050 42	2065 24	2.3	N	0	3.4	3.4
2	Civic Centre	Urban Backgrou nd		3047 43	2062 61	1.9	N	0	43.3	43.3

				OS ( Refe	Grid rence		Collocate	Distanc e from	Distanc e from	Distan
Sit e ID	Site Name	Site Type	Associat ed with Named AMQA?	х	Y	Site Heig ht (m)	d with a Continuo us Analyser ?	monito r to nearest relevan t exposu re (m)	Kerb to Neares t Releva nt Exposu re (m)	ce from Kerb to Monit or (m)
3	Twynyrod yn Communi ty Primary School	Suburban		3058 32	2059 41	2.1	N	0	52.8	52.8
4	15 Lower High Street	Urban Centre		3050 01	2057 63	2.5	N	0	3.6	3.6
5	1 Alma Street	Roadside		3051 40	2059 10	2.3	N	0	1.1	1.1
6	11 Mardy Terrace, Plymouth Street	Roadside		3054 26	2051 44	2.3	N	0	5.1	5.1

7	36 Brynteg, Treharris	Roadside		309640	197033	2.1	N	0	1.6	1.6
8	Victoria Street Taxi Rank	Urban Centre		304866	206137	2.3	N	0	3.4	3.4
9	Six Bells Estate	Suburban		303525	206388	1.9	N	0	6.3	6.3
10	11 Park Place, Penydarren Road	Roadside		305180	206744	2.3	N	0	1.6	1.6
11	11 Alexandra Terrace lamp-post	Roadside	Twynyrodyn Road AQMA	305382	205872	3.0	N	1.7	3.0	1.3
12	Dowlais Upper	Roadside		307171	207915	2.4	N	0	1.6	1.6

13	110 High Street	Urban Centre		304947	206261	2.5	N	0	3.2	3.2	
----	--------------------	-----------------	--	--------	--------	-----	---	---	-----	-----	--

14	55 Twynyrodyn Road	Roadside	Twynyrodyn AQMA	305410	205410	2.5	Υ	0	2.3	2.3
15	Quakers Yard	Suburban		309573	196518	2.0	N	0	3.4	3.4
16	Erw Las	Suburban		303360	206822	2.2	N	0	37.0	37.0
17	119 High Street Corner	Urban Centre		304942	206204	3.0	Z	0	1.0	1.0
18	91 Twynyrodyn Road	Roadside	Twynyrodyn AQMA	305217	205880	2.4	N	0	2.3	2.3
19	40 William Street	Roadside	Twynyrodyn Road AQMA	305316	2058723	2.1	N	0	5.3	5.3
20	17 Court Terrace	Roadside	Twynyrodyn AQMA	305149	205906	2.3	N	0	1.5	1.5

21	51 Twynyrodyn Road	Roadside	Twynyrodyn AQMA	305394	205871	2.3	N	0	1.5	1.5
22	15 Arfryn Terrace	Roadside	Twynyrodyn AQMA	305147	205906	2.3	N	0	4.9	4.9

23	98 Pontmorlais	Urban Centre		304987	206411	2.7	N	0	2.9	2.9
24	64 Gilfach Cynon	Roadside	Twynyrodyn Road AQMA	305415	205863	2.1	N	1.0	3.7	2.7
25	37 Brookfield Terrace	Roadside		307034	202698	2.3	N	0	1.1	1.1
26	6 Windsor Terrace	Suburban		305296	205895	2.3	N	0	2.9	2.9
27	4 Somerset Place, Union Street	Suburban		305182	206138	2.6	N	0	6	6

28	48 Darren View	Suburban	305579	206811	2.1	N	0	1.4	1.4
29	6/7 Ladysmith Place	Roadside	307112	202547	2.6	N	0	3.4	3.4
30	Bron-Gelli, Swansea Road	Roadside	303570	206676	2.1	N	0	8.4	8.4
31	Caedraw Flat Downpipe	Roadside	304782	205886	2.1			5.7	5.7

### Notes:

(1) 0m indicates that the sited monitor represents exposure and as such **no distance calculation is required**.

Figure 2.2 – Map of Non-Automatic Monitoring Sites across County Borough




Figure 2.3 – Map of Non-Automatic Monitoring Sites across Town Ward




Figure 2.4 – Map of Non-Automatic Monitoring Sites across Twynyrodyn

MERTHYR TYDFIL County Borough Council



#### 2.2 **2019 Air Quality Monitoring Results**

Table 2.3 – Annual Mean NO2 Monitoring Results

Bryn Caerau Bungalow - Private Water Supply

Site	Site Type	Monitoring	Valid Data Capture for	Valid Data	NO2 Annual Mean Concentration (μg/m3)						
ID	Site Type	Туре	Monitoring Capture Period (%) 2019 (%) (1) (2)		2015	2016	2017	2018	2019		
ECC	Roadside / Urban Centre	Automatic		14	46.1	39.7	41.1*	39.9*	20.8*		
1	Roadside	Diffusion tube	100	100	23.2	21.2	21.3	20.8	23.1		
2	Urban Background	Diffusion tube	100	100	16.4	18.1	17.9	15.2	16.6		
3	Suburban	Diffusion tube	100	100	12.5	13.0	11.4	10.7	11.1		
4	Urban Centre	Diffusion tube	100	100	26.5	25.3	26.9	29.3	24.9		
5	Roadside	Diffusion tube	42	42	19.7	19.8	18.5	18.1	22.3		
6	Roadside	Diffusion tube	75	75	16.3	17.0	15.9	17.3	25.3		

Site	Sito Tumo	Monitoring	Valid Data Capture for Monitoring	Valid Data	NO2 Annual Mean Concentration (μg/m3)						
ID	Site Type	Туре	Period (%)	2019 (%)	2015	2016	2017	2018	2019		
7	Roadside	Diffusion tube	100	100					17.9		
8	Urban Centre	Diffusion tube	92	92	23.6	22.9	22.2	20.4	18.8		
9	Suburban	Diffusion tube	100	100	10.8	10.6	10.2	10.0	10.6		
10	Roadside	Diffusion tube	100	100					30.7		
11	Roadside	Diffusion tube	100	100	42.5	40.9	40.5	40.3	35		
12	Roadside	Diffusion tube	100	100	25.3	26.4	23.4	23.3	22		

13	Urban Centre	Diffusion tube	92	92					21.7
14	Roadside	Diffusion tube	100	100	44.6	43.2	40.7	39.6	33.2
15	Suburban	Diffusion tube	100	100	12.9	12.8	12.8	12.2	11.5
16	Suburban	Diffusion tube	100	100	11.9	12.6	12.9	12.1	11.6
17	Urban Centre	Diffusion tube	100	100					18.9
18	Roadside	Diffusion tube	100	100	28.5	25.9	26.2	26.3	24.1
19	Roadside	Diffusion tube	100	100	22.2	21.5	21.9	20.3	19.1
20	Roadside	Diffusion tube	100	100	29.6	31.1	28.6	29.4	25.9
21	Roadside	Diffusion tube	100	100	45.1	48.5	46.2	47.0	38.2
22	Roadside	Diffusion tube	75	75	33.4	31.5	31.8	29.2	26
23	Urban Centre	Diffusion tube	100	100					18.3
24	Roadside	Diffusion tube	92	92	23.5	24.5	25.2	23.7	23.8
25	Roadside	Diffusion tube	92	92					27.8
26	Suburban	Diffusion tube	100	100			16.6	17.7	16.8
27	Suburban	Diffusion tube	100	100					13.1

presents the details of the sites.

Maps showing the location of the monitoring sites are provided in **Error! Reference source not found.**. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix C.

## **2.2.1** Non-Automatic Monitoring Sites

Merthyr Tydfil County Borough Council undertook non- automatic (passive) monitoring of NO<sub>2</sub> at 31 sites during 2019. **Error! Reference source not found.** presents the details of the sites.

Maps showing the location of the monitoring sites are provided in Figure 2.2. Further details on Quality Assurance/Quality Control (QA/QC) and bias adjustment for the diffusion tubes are included in Appendix C.

**Table 2.1 – Details of Automatic Monitoring Sites** 

Site ID	Site	Site Type	Associated with (Named)	OS Grid Reference		Pollutants	Monitoring	Inlet Height	Distance from monitor to	Distance from Kerb to Nearest	Distance from Kerb
	Name Site 1796	AQMA?	х	Υ	Monitored	Technique	(m)	nearest relevant exposure (m) <sup>(1)</sup>	Relevant Exposure (m)	to Monitor (m)	
APM1	Twynyro dyn School	Suburban		305821	206008	PM <sub>10</sub>	TEOM	2.43	0	0	N/A
ECC	98 Pontmorl ais	Kerbside		304987	206411	NO <sub>2</sub>	ECC	3	0	0	2.9

#### Notes:

(1) 0m indicates that the sited monitor represents exposure and as such no distance calculation is required

Figure 2.1 – Maps of Automatic Monitoring Sites



## **ECC LOCATION**



**Table 2.2 – Details of Non-Automatic Monitoring Sites** 

			Associated	OS Grid F	Reference	Site	Collocated with	Distance from monitor to	Distance from	Distance from
Site ID	Site Name	Site Type	with Named AMQA?	x	Y	Height (m)	a Continuous Analyser?	nearest relevant exposure (m)	Kerb to Nearest Relevant Exposure (m)	Kerb to Monitor (m)
1	Imperial Hotel	Roadside		305042	206524	2.3	N	0	3.4	3.4
2	Civic Centre	Urban Background		304743	206261	1.9	N	0	43.3	43.3
3	Twynyrodyn Community Primary School	Suburban		305832	205941	2.1	N	0	52.8	52.8
4	15 Lower High Street	Urban Centre		305001	205763	2.5	N	0	3.6	3.6
5	1 Alma Street	Roadside		305140	205910	2.3	N	0	1.1	1.1
6	11 Mardy Terrace, Plymouth Street	Roadside		305426	205144	2.3	N	0	5.1	5.1

7	36 Brynteg, Treharris	Roadside		309640	197033	2.1	N	0	1.6	1.6
8	Victoria Street Taxi Rank	Urban Centre		304866	206137	2.3	N	0	3.4	3.4
9	Six Bells Estate	Suburban		303525	206388	1.9	N	0	6.3	6.3
10	11 Park Place, Penydarren Road	Roadside		305180	206744	2.3	N	0	1.6	1.6
11	11 Alexandra Terrace lamp- post	Roadside	Twynyrodyn Road AQMA	305382	205872	3.0	N	1.7	3.0	1.3
12	Dowlais Upper	Roadside		307171	207915	2.4	N	0	1.6	1.6
13	110 High Street	Urban Centre		304947	206261	2.5	N	0	3.2	3.2

14	55 Twynyrodyn Road	Roadside	Twynyrodyn AQMA	305410	205410	2.5	Υ	0	2.3	2.3
15	Quakers Yard	Suburban		309573	196518	2.0	N	0	3.4	3.4
16	Erw Las	Suburban		303360	206822	2.2	N	0	37.0	37.0
17	119 High Street Corner	Urban Centre		304942	206204	3.0	N	0	1.0	1.0
18	91 Twynyrodyn Road	Roadside	Twynyrodyn AQMA	305217	205880	2.4	N	0	2.3	2.3
19	40 William Street	Roadside	Twynyrodyn Road AQMA	305316	2058723	2.1	N	0	5.3	5.3
20	17 Court Terrace	Roadside	Twynyrodyn AQMA	305149	205906	2.3	N	0	1.5	1.5

21	51 Twynyrodyn Road	Roadside	Twynyrodyn AQMA	305394	205871	2.3	N	0	1.5	1.5
22	15 Arfryn Terrace	Roadside	Twynyrodyn AQMA	305147	205906	2.3	N	0	4.9	4.9
23	98 Pontmorlais	Urban Centre		304987	206411	2.7	N	0	2.9	2.9
24	64 Gilfach Cynon	Roadside	Twynyrodyn Road AQMA	305415	205863	2.1	N	1.0	3.7	2.7
25	37 Brookfield Terrace	Roadside		307034	202698	2.3	N	0	1.1	1.1
26	6 Windsor Terrace	Suburban		305296	205895	2.3	N	0	2.9	2.9
27	4 Somerset Place, Union Street	Suburban		305182	206138	2.6	N	0	6	6

28	48 Darren View	Suburban	305579	206811	2.1	N	0	1.4	1.4
29	6/7 Ladysmith Place	Roadside	307112	202547	2.6	N	0	3.4	3.4
30	Bron-Gelli, Swansea Road	Roadside	303570	206676	2.1	N	0	8.4	8.4
31	Caedraw Flat Downpipe	Roadside	304782	205886	2.1			5.7	5.7

#### Notes:

(1) 0m indicates that the sited monitor represents exposure and as such **no distance calculation is required**.

Figure 2.2 – Map of Non-Automatic Monitoring Sites across County Borough




Figure 2.3 – Map of Non-Automatic Monitoring Sites across Town Ward




Figure 2.4 – Map of Non-Automatic Monitoring Sites across Twynyrodyn



# 2.3 2019 Air Quality Monitoring Results

Table 2.3 – Annual Mean NO<sub>2</sub> Monitoring Results

C'A- ID	Cita Tuna	Monitoring	Valid Data Capture for	Capture		NO <sub>2</sub> Annual N	Mean Concentrati	on (μg/m³) <sup>(3)</sup>	
Site ID	Site Type	Туре	Monitoring Period (%) <sup>(1)</sup>	2019 (%) (2)	2015	2016	2017	2018	2019
ECC	Roadside / Urban Centre	Automatic		14	46.1	39.7	41.1*	39.9*	20.8*
1	Roadside	Diffusion tube	100	100	23.2	21.2	21.3	20.8	23.1
2	Urban Background	Diffusion tube	100	100	16.4	18.1	17.9	15.2	16.6
3	Suburban	Diffusion tube	100	100	12.5	13.0	11.4	10.7	11.1
4	Urban Centre	Diffusion tube	100	100	26.5	25.3	26.9	29.3	24.9
5	Roadside	Diffusion tube	42	42	19.7	19.8	18.5	18.1	22.3
6	Roadside	Diffusion tube	75	75	16.3	17.0	15.9	17.3	25.3
7	Roadside	Diffusion tube	100	100					17.9
8	Urban Centre	Diffusion tube	92	92	23.6	22.9	22.2	20.4	18.8
9	Suburban	Diffusion tube	100	100	10.8	10.6	10.2	10.0	10.6
10	Roadside	Diffusion tube	100	100					30.7
11	Roadside	Diffusion tube	100	100	42.5	40.9	40.5	40.3	35
12	Roadside	Diffusion tube	100	100	25.3	26.4	23.4	23.3	22

13	Urban Centre	Diffusion tube	92	92					21.7
14	Roadside	Diffusion tube	100	100	44.6	43.2	40.7	39.6	33.2
15	Suburban	Diffusion tube	100	100	12.9	12.8	12.8	12.2	11.5
16	Suburban	Diffusion tube	100	100	11.9	12.6	12.9	12.1	11.6
17	Urban Centre	Diffusion tube	100	100					18.9
18	Roadside	Diffusion tube	100	100	28.5	25.9	26.2	26.3	24.1
19	Roadside	Diffusion tube	100	100	22.2	21.5	21.9	20.3	19.1
20	Roadside	Diffusion tube	100	100	29.6	31.1	28.6	29.4	25.9
21	Roadside	Diffusion tube	100	100	45.1	48.5	46.2	47.0	38.2
22	Roadside	Diffusion tube	75	75	33.4	31.5	31.8	29.2	26
23	Urban Centre	Diffusion tube	100	100					18.3
24	Roadside	Diffusion tube	92	92	23.5	24.5	25.2	23.7	23.8
25	Roadside	Diffusion tube	92	92					27.8
26	Suburban	Diffusion tube	100	100			16.6	17.7	16.8
27	Suburban	Diffusion tube	100	100					13.1

28	Suburban	Diffusion tube	100	100				16.2
29	Roadside	Diffusion tube	100	100		33.0	34.6	33.2
30	Roadside	Diffusion tube	100	100		17.0	20.0	17.8
31	Roadside	Diffusion Tube	42	42				22.1

#### Notes:

Exceedances of the  $NO_2$  annual mean objective of  $40\mu g/m^3$  are shown in **bold**.

NO<sub>2</sub> annual means exceeding 60μg/m³, indicating a potential exceedance of the NO<sub>2</sub> 1-hour mean objective are shown in **bold and underlined**.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) Means for diffusion tubes have been corrected for bias. All means have been "annualised" as per Boxes 7.9 and 7.10 in LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

<sup>\*</sup> Annualised figure

Figure 2.5 – Trends in Annual Mean NO<sub>2</sub> Concentrations – all monitoring locations




Figure 2.6 – Trends in Annual Mean NO<sub>2</sub> Concentrations – monitoring locations outside the Twynyrodyn area




Figure 2.7 – Trends in Annual Mean NO<sub>2</sub> Concentrations – monitoring locations within the Twynyrodyn area




Figure 2.8 – Trends in Annual Mean NO<sub>2</sub> Concentrations – monitoring locations on Twynyrodyn Road





Figure 2.9 – Trends in Annual Mean NO<sub>2</sub> Concentrations – monitoring locations within the AQMA



LAQM Annual Progress Report 2020

Figure 2.10 - Trends in Annual Mean  $NO_2$  Concentrations – monitoring locations on streets surrounding the AQMA




Figure 2.11 – Trends in Annual Mean NO<sub>2</sub> Concentrations – collocated monitoring location and ECC at new location




Figure 2.12 – Trends in Annual Mean NO<sub>2</sub> Concentrations – collocated monitoring location at previous location




Table 2.4 – 1-Hour Mean NO<sub>2</sub> Monitoring Results

Site ID	Site Type	Monitoring Type	Valid Data Capture for	Capture	NO <sub>2</sub> 1-Hour Means > 200μg/m <sup>3 (3)</sup>					
Site ID			Monitoring Period (%) (1)		2015	2016	2017	2018	2019	
ECC	Roadside	Automatic			0	0	1(154.5)	1 (153.7)	0	

#### Notes:

Exceedances of the NO<sub>2</sub> 1-hour mean objective (200µg/m³ not to be exceeded more than 18 times/year) are shown in **bold.** 

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

Table 2.5 – Annual Mean PM<sub>10</sub> Monitoring Results

Site ID	Site ID	Site Type	Valid Data Capture for Monitoring Period (%) (1)	Valid Data Capture 2019 (%) <sup>(2)</sup>	PM <sub>10</sub> Annual Mean Concentration (μg/m³) <sup>(3)</sup>					
		"			2015	2016	2017	2018	2019	
	TEOM	Suburban			9.26	8.41	11.32	8.7	8.8	

#### Notes:

Exceedances of the  $PM_{10}$  annual mean objective of  $40\mu g/m^3$  are shown in **bold.** 

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) All means have been "annualised" as per Boxes 7.9 and 7.10 in LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Figure 2.13 – Trends in Annual Mean  $PM_{10}$  Concentrations



Table 2.6 – 24-Hour Mean PM<sub>10</sub> Monitoring Results

Site ID	Site Type	Valid Data Capture for Monitoring Period	Valid Data Capture 2019 (%) <sup>(2)</sup>	PM <sub>10</sub> 24-Hour Means > 50μg/m <sup>3 (3)</sup>					
0.10.15	, , , , , , , , , , , , , , , , , , ,	(%) <sup>(1)</sup>		2015	2016	2017	2018	2019	
TEOM	Suburban	96	96	0	0	0	0	0	

#### Notes:

Exceedances of the  $PM_{10}$  24-hour mean objective ( $50\mu g/m^3$  not to be exceeded more than 35 times/year) are shown in **bold.** 

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) If the period of valid data is less than 85%, the 90.4<sup>th</sup> percentile of 24-hour means is provided in brackets.


Table 2.7 – Annual mean PM<sub>2.5</sub> Monitoring Results

Site ID	Site Type	Valid Data Capture for Monitoring Period (%) (1)	Valid Data Capture 2019 (%) <sup>(2)</sup>	PM <sub>2.5</sub> Annual Mean Concentration (μg/m³) <sup>(3)</sup>					
0.00.0				2015	2016	2017	2018	2019	
TEOM	Suburban	96	96	5.01	3.78	4.47	4.5	4.42	

#### Notes:

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).
- (3) All means have been "annualised" as per Boxes 7.9 and 7.10 in LAQM.TG16, valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Figure 2.14 – Trends in Annual Mean PM<sub>2.5</sub> Concentrations



# 2.4 Comparison of 2019 Monitoring Results with Previous Years and the Air Quality Objectives

Generally NO<sub>2</sub> concentrations have remained relatively stable over the previous 4 years, however changes implemented from the action have shown a general decrease in NO<sub>2</sub> for 2019, as shown in Figure 2.5. All sites are now within the 40μg/m<sup>3</sup> AQS objective as shown in Figure 2.5 and 2.6 (all sites inside and outside the Twynyrodyn AQMA). There are 2 sites within the AQMA were the annual concentration is close to the 40µg/m³ objective, as shown in Figure 2.7 and Figure 2.8. Site 21 – 51 Twynyrodyn Road has fallen just below the annual mean AQS objective, as has site 11 – Alexandra Terrace Lamp-post, (38.2µg/m³) and (35µg/m³) respectively. Site 14 also still remains relatively close to the annual mean AQS objective, although it has decreased significantly from 2018. Following the public consultation in 2018, on the 28<sup>th</sup> May 2019 traffic flow changes along Pontmorlais High Street and Church Street were implemented. The change of traffic flow on Pontmorlais High Street has resulted in a decrease of NO<sub>2</sub> in monitoring locations within the AQMA, from data obtained in the second half of 2019. It is predicted this change would continue to reduce traffic along Twynyrodyn Road and the air quality within the AQMA through 2020, however due to the coronavirus pandemic and the associated lockdown, the levels of NO<sub>2</sub> through a large portion 2020 will be skewed meaning that more monitoring throughout 2021 will be required to evidence the reduction in NO<sub>2</sub> along the Twynyrodyn Road AQMA.

The effectiveness of the ECC monitor is of concern. It was only functioning for 14% of the monitoring period. In some years it has noticeably over-read or under-read compared to bias adjusted diffusion tubes, apart from in 2018, where following annualisation the correlation appears good (over-read of 1% compared to site 14 – 55 Twynyrodyn Road diffusion tube) see figure 2.12. In 2019 there again seemed to be an over-read of the ECC. The sensors have been described by AirMonitorsUK as prone to damage by cold weather. They have been developing more robust sensors and this may be the reason why correlation appears better than in some previous years. Cold weather is the time of year when it is most critical as it is when engines perform most poorly and heating is in use, so NO<sub>2</sub> concentrations are at their highest. Loss of the sensors during the cold weather and cross interference from ozone may explain its sometimes poor correlation with diffusion tubes.

It should be noted the ECC monitor is not an established technology and is not a recognised and standardised approach to measuring annual NO<sub>2</sub> levels, unlike chemiluminescent monitors. It has been chosen as a monitor as it is small enough to attach to street furniture, and by giving real time results can be used to see trends such as diurnal patterns, and monitoring changes in patterns such as following road diversions including the reversal implemented under the action plan. Although it has been used here to calculate the annual NO<sub>2</sub> concentration, this is not a purpose it was designed for. One of the uses MTCBC intends for the ECC is observing changes in NO<sub>2</sub> as traffic measures are put in place under the action plan. This is why in 2019 the ECC has been relocated to Pontmorlais High Street, where it will be used to monitor the extent of increased NO<sub>2</sub> associated with diverted traffic, see figure 2.11. Pontmorlais High Street has retail units at ground floor level, with a number of residential flats at first floor level. A significant elevation in NO2 concentration has not been observed since the change in flow of traffic and it is not anticipated to exceed the annual AQS objective in the future, however the presence of tall buildings and a narrow street means there may be a canyon effect and the real world performance of the Fluidyn France modelling will need to be scrutinised. After 4 years of reducing PM<sub>10</sub> and PM<sub>2.5</sub> concentrations, the levels increased in 2017. PM<sub>10</sub> reduced to be in line with 2014-2016 concentrations in 2018 and has increased slightly in 2019. Annual concentrations of PM<sub>2.5</sub> during 2019 were similar to that of 2017 and 2018, but had decreased slightly. They are still significantly below the AQS objective, and are not currently of concern.

#### 2.4.1 Nitrogen Dioxide (NO<sub>2</sub>)

Monitoring at the majority of sites was for the full calendar year. A small number of tubes went missing particularly at tube 5 for a number of consecutive months. Tube 31 was installed half way through 2019 therefore data capture is low.

The ECC showed poor data capture at 14%. The device was found to have suffered sensor problems in March and April, therefore this data had to be removed in screening. The sensor was replaced and the device re-located, however a connection to AirMonitors UK could not be achieved. AirMonitors UK attempted to repair the connection, however they were unsuccessful. On advice from Defra the period mean has been calculated for the continuous data collection period and compared to 2 chemiluminescent monitors in Cwmbran and

Newport, in order to calculate the annual mean. These were identified by the LAQM helpdesk based on data capture and proximity as the best combination for the period mean to annual mean conversion. Although the ECC is useful for providing real time data, for monitoring annual mean NO<sub>2</sub> concentrations diffusion tubes have proven to be more reliable. It may have missed exceedances of the short term 200μg/m³ limit as the sensors failed during March and April, classed as cold weather periods and as such the times of year when NO<sub>2</sub> concentrations are expected to be highest. It may be useful when the action plan is implemented as, being designed for real time monitoring, it has been relocated to Pontmorlais High Street. The relocation was carried out on 11<sup>th</sup> February 2019 and as such it will have captured data prior to and after 28<sup>th</sup> May 2019, on which the action plan was implemented. For long term monitoring the diffusion tubes will continue to be the main approach taken by MTCBC.

All diffusion tube sites are now within the annual mean AQS objective for  $NO_2$  of  $40\mu g/m^3$ . Site 11 (11 Alexandra Terrace lamp-post), and Site 21 (51 Twynyrodyn Road) are still close to the AQS objective with  $35\mu g/m^3$  and  $38.2\mu g/m^3$  respectively. Site 21 is located on the façade of a terraced property and is indicative of the exposure residents will receive. Site 14 (55 Twynyrodyn Road), which was previously collocated with the ECC has now decreased to less than 10% of the AQS objective,  $33.2\mu g/m^3$ . All 3 sites are within the existing AQMA. Following the public consultation and approval by Council, Welsh Government and Defra, works to improve traffic flow took place on the  $28^{th}$  May 2019. These works consisted of temporary and permanent signage and temporary concrete barriers to prevent drivers turning the wrong way onto Church Street. Initial results from the second half of 2019 indicate that  $NO_2$  concentrations have reduced within the AQMA.

The general trend throughout the district has been for a reduction and levelling out of NO<sub>2</sub> concentrations. Concentrations increased in 2013 when various road changes took place throughout the town centre, interrupting a declining trend likely to be associated with fleet changes. This has since reduced and levelled out, however levels of NO<sub>2</sub> have now started to decrease again, particularly within the AQMA.

Sites 3, 4, 5, 22, 26, 27 are at locations near or surrounding Twynyrodyn AQMA. The proposal to construct a diversionary route along adjoining streets has not been implemented as there was a low response in favour of it during the public consultation. A number of historic monitoring locations surrounding the AQMA were closed at the beginning of 2019. The 2019

results shows they have capacity to take additional vehicles without  $NO_2$  concentrations reaching  $36\mu g/m^3$  or more, should the action plan be unsuccessful and the action plan need to be revised with previous options being revisited. Newly opened tubes in Union Street and Darren View should give us an indication as to whether the reversal has resulted in side streets being used as back route.

Comparing the ECC with tube 23, a collocated diffusion tube at 98 Pontmorlais, shows correlation is slightly worse than in the previous year but better than in years prior to that. This may be by chance or may be as the sensors have been developed. The sensor responds to ozone resulting in some negative readings and reduced readings of NO<sub>2</sub>. Although it provides some useful data in terms of diurnal patterns and short-term changes, it is not an established technology and is not sufficiently reliable at this time to provide annual means. This will continue to be monitored primarily through diffusion tube monitoring. The ECC will continue to be used to give real time data on the effectiveness of the action plan, however it will primarily be used as an indicative measure. It has been relocated to Pontmorlais High Street and can be relocated to other locations should there be any indication it is required.

### 2.4.2 Particulate Matter (PM<sub>10</sub>)

 $PM_{10}$  and  $PM_{2.5}$  are monitored by Merthyr (South Wales) Ltd as a planning condition for the Ffos-y-Fran land reclamation scheme, an opencast coal reclamation scheme. They operate the TEOM at Twynyrodyn Community Primary School.  $PM_{10}$  was reducing, but in 2017 increased, with 2018 and 2019 reducing in line with previous years. It remains significantly below the  $40\mu g/m^3$  limit at the background site. There were no exceedances of the daily mean of  $50\mu g/m^3$ .  $PM_{10}$  may be higher and more prone to variation within the AQMA as it is also produced by traffic. This means any improvements achieved by the action plan will also benefit public health by reducing  $PM_{10}$ . On  $28^{th}$  May 2019, in accordance with the action plan a traffic reversal took place, reversing traffic flow on Church Street and Pontmorlais High Street. Anecdotal evidence from staff and member of the public using Twynyrodyn Road is that since the traffic reversal was implemented there have been noticeably fewer cars on Twynyrodyn Road at peak times. The traffic reversal is primarily to reduce  $NO_2$  concentrations within the AQMA, but a reduction of traffic on Twynyrodyn Road is also likely to reduce  $PM_{10}$  throughout the Twynyrodyn Road AQMA from 2019 onwards.

#### 2.4.3 Particulate Matter (PM<sub>2.5</sub>)

PM<sub>2.5</sub> was reducing, but in 2017 it had increased, following the same pattern as PM<sub>10</sub>. It remained at a similar level in 2018 and 2019, but had decreased slightly. It remains significantly below the 25μg/m³ target at the background site. It comprises about half of the PM<sub>10</sub> measured on site. PM<sub>2.5</sub> may be higher within the AQMA as it is also produced by traffic. This means any improvements achieved by the action plan will also benefit public health by reducing PM<sub>2.5</sub>. Long term exposure to PM<sub>2.5</sub> increases the age specific mortality risk from cardiovascular causes and high concentrations can also exacerbate lung and heart conditions. As previously stated the traffic reversal took place, reversing traffic flow on Church Street and Pontmorlais High Street was primarily to reduce NO<sub>2</sub> concentrations within the AQMA, but a reduction of traffic on Twynyrodyn Road is also likely to reduce PM<sub>2.5</sub> throughout the Twynyrodyn Road AQMA, thus improving the health of those living in the locality.

## 2.5 Summary of Compliance with AQS Objectives as of 2019

MTCBC has examined the results from monitoring in the borough.

Concentrations within the Twynyrodyn Road AQMA no longer exceed the annual mean AQS objective of  $40\mu g/m^3$  for  $NO_2$ . However more monitoring will be required to ensure the levels of  $NO_2$  continue to reduce and fall outside 10% of the AQS objective to consider revoking the AQMA.

## 3. New Local Developments

At this time there have been no new developments that have required an air quality assessment since the previous Air Quality Progress Report. The Environmental Health Department is aware of planned developments through consultation on the planning process and the Local Development Plan.

## 3.1 Road Traffic Sources (and Other Transport)

# Narrow Congested Streets with Residential Properties Close to the Kerb

#### Twynyrodyn Road

As identified in previous reports and the Detailed Assessment in 2015, Twynyrodyn Road is a narrow, busy street with residential properties close to the kerb, and is currently the location of an AQMA.

Following the Detailed Assessment and declaration of the AQMA, MTCBC has carried out a public consultation on 3 options identified by the action plan to reduce traffic along Twynyrodyn Road. The consultation involved a letter drop to properties likely to be affected by the options considered, consultation documents being placed on the MTCBC website and Cwm Taff hub, an article in Contact Magazine distributed across the borough, 4 public drop-in sessions and a Social Media session attended by Environmental Health, Corporate Communications, Highways and Engineering. The results of the public consultation was that the majority of respondents (94%) were in favour of reversing traffic flow along Pontmorlais High Street, offering the public with an alternative route away from Tesco and the town centre, where it is believed a significant proportion of drivers on Twynyrodyn Road originate from. Following approval of the action plan by the Council and by Welsh Government, on 28<sup>th</sup> May 2019 engineers reversed the flow of traffic on Pontmorlais High Street and Church Street. NO<sub>2</sub> monitoring stations on Pontmorlais High Street and many of the NO<sub>2</sub> monitoring stations on Twynyrodyn Road were retained to determine whether the reversal has had the predicted effect. Additionally 5 tubes have been relocated from the network to provide additional monitoring on Union Street, Darren View, High Street, Pontmorlais High Street and Penydarren Road. The first two tubes are to monitor for changes caused by people taking back

routes to avoid the traffic reversal, and the remaining 3 are to monitor the reversal route for any potential breaches of the  $NO_2$  annual mean air quality standard ( $40\mu g/m^3$ ). Pontmorlais High Street has a number of tall buildings and is a relatively narrow road (11.3m between buildings on opposite sides of the road) and there is the potential for a canyon effect. Modelling indicated this would not result in a breach of the  $NO_2$  annual mean air quality standard, however it will be important to check the model for real-world performance. To that end in addition to the diffusion tubes introduced in January 2019, in February 2019 the ECC has also been moved to Pontmorlais High Street to allow real time monitoring of the effect on air quality on Pontmorlais High Street. Should there be any indications the air quality standard is likely to be breached the reversal would have to be reviewed, however this has not been demonstrated by post Period 6 data. MTCBC aims to revoke the Twynyrodyn Road AQMA in 2021, however if the reversal could result in a new AQMA being declared the relative numbers of people affected would need to be compared to determine whether the reversal remained the most appropriate solution.

At this time there is limited data for comparison between the situation before and after the reversal. Definitive data will not be available until the reversal has been in place for at least 12 months. The figures below, 3.1 and 3.2 provide an indication of the difference in the period mean before the reversal of traffic along Pontmorlais High Street and the period mean after it was implemented. The data gives us an indication that the action plan has decreased levels of NO<sub>2</sub> within the AQMA and hasn't significantly increased the level of NO<sub>2</sub> along Pontmorlais High Street or other diversion routes.

Figure 3.1 – Comparison of  $NO_2$  period mean prior to and post period 6 2019 – When the traffic reversal along Pontmorlais was implemented for sites within and surrounding the AQMA.





Figure 3.2 – Comparison of  $NO_2$  period mean prior to and post period 6 2019 – When the traffic reversal along Pontmorlais was implemented for sites within the Town area and the diversion route.



## Pontmorlais High Street and Avenue de Clichy

As stated previously traffic flow has now been reversed along Pontmorlais High Street, with the aim of diverting traffic away from Twynyrodyn Road. Due to the potential for canyon effects on Pontmorlais High Street, additional monitoring is being carried out. Anecdotal evidence indicates the reversal has diverted traffic away from Twynyrodyn Road, with MTCBC staff observing fewer traffic queues on Twynyrodyn Road and new traffic queues on Avenue de Clichy during their daily commutes and some congestion at the roundabout at the North end of Pontmorlais High Street. These observations are backed up by decreasing levels of NO<sub>2</sub>

within the AQMA post Period 6 (Figure 3.1). A build-up of traffic on Avenue de Clichy is unlikely to be of public health concern as the West side of the street is bounded by the River Taff, making canyon effects unlikely. On the East side there are a small number of residential flats set back from the road by at least 6.5m, which is a sufficient distance that any deterioration in air quality will remain well below the air quality standard. To provide public reassurance that modelling is correct, a diffusion tube was installed at Caedraw Flats, just off the Avenue de Clichy in August 2019. Although we only have a few month data, the annual NO<sub>2</sub> concentration of this location is well below the AQS objective.

As previously stated Pontmorlais High Street may be subject to canyon effects. Modelling predicted that an increase in traffic would not result in a breach of the air quality standard. The installation of new diffusion tubes along with the ECC have confirmed this has not been the case so far. The comparison between pre period 6 2019 and post period 6 2019 demonstrates that most sites have observed minimal change after the implementation of the reversal of flow along Pontmorlais High Street (Figure 3.2).

## Cardiff Road, Troedyrhiw

The monitoring location at 6/7 Ladysmith Place is along the stretch of the Cardiff Road, through the village of Troedyrhiw. The Environmental Health Department met with the Highways and Engineering Department in November 2018 as early indications from the 2018 figures, were that the annual mean may get close to the air quality objective, although complete data and bias adjustment was not available at that time. A site visit found a large number of cars turning onto and from Phyllis Street causing traffic build up along Cardiff Road close to the diffusion tube site. Cars were accessing and leaving a small car park to the rear of Troedyhriw Community Primary School, at school drop-off time and more noticeably at school collection time. There were also some sections of Cardiff Road where parking on one side of the street caused traffic to move slowly and stagnate. In order to prevent the possible declaration of an additional AQMA a temporary one way system was operated for 4 weeks in December 2018 and early January 2019. The annual mean for 2018 was below 36μg/m<sup>3</sup>. Results in November, prior to the one way system, and December with the one way system were the same, when an increase would normally be expected due to seasonal factors. This shows if in future the annual mean AQS objective for NO<sub>2</sub> was approached or exceeded a one way system of access to the car park could be considered as part of a range of solutions. As

the bias adjusted figures for 2019 were below 10% of the AQS objective and had decreased from 2018 there is no need to implement a permanent solution at this time. On the basis of observing bottle necks around 6/7 Ladysmith Place and poor traffic flow a long Cardiff Road an additional diffusion tube has been placed in the area at 37 Brookfield Terrace, to gather a better picture of where any potential hotspots of air pollution occur. Both sites have remained below 10% of the AQS objective.

## Roads with significantly changed traffic flows

#### Trago Mills Development, Swansea Road

The Trago Mills development opened on 21<sup>st</sup> April 2018. The development is a £40 million 30,250m<sup>2</sup> retail development and includes 38 retail departments, leisure facilities and is likely to include a petrol station in the near future.

In April 2017 MTCBC opened a new diffusion tube location on Swansea Road to gather information on background levels, prior to the proposed 2018 opening. Existing  $NO_2$  was found to be  $17.02\mu g/m^3$ . In 2018 this had increased to  $20.00\mu g/m^3$  but in 2019 it has decreased back to a similar level as seen in 2017 of  $17.8\mu g/m^3$ . This remains well below the annual mean AQS objective. Trago Mills has proven less popular than expected so has not significantly increased traffic in the area.

This tube is being kept open as this may change as Trago Mills opens further leisure facilities and the possible petrol station. They are known to heavily discount fuel attracting a large number of customers. Swansea Road may also be affected by diversions along the A470 as works to dual the A465 Heads of the Valleys Road reach Merthyr Tydfil.

#### A465 Heads of the Valleys and Surrounding Roads

There is an ongoing project to convert sections of the A465 Heads of the Valleys Road to dual carriageway. Following works between Fochriw and Abergavenny, it is anticipated work will start on the A465 in Merthyr Tydfil in late 2020 and could go on until 2023. This will result in slowed traffic on the A465 and the use of diversions through the Dowlais and Twynyrodyn areas through town, to re-join the A465 from the A470. Traffic will be increased on the A470 where diversions will join at Rhyd-y-car and by Cyfarthfa Retail Park to re-join the A465 at Cefn

Coed. It is likely during such diversions,  $NO_2$  will increase along the diversionary routes. As this is temporary, MTCBC are not considering any actions to reduce  $NO_2$  in the affected areas for the time being. Different diversions are predicted to last for up to 6 months. This policy of no action will be reviewed if diversions and consequent deterioration in air quality are more significant or of longer duration than anticipated.

# 3.2 Industrial / Fugitive or Uncontrolled Sources / Commercial Sources

There are no other industrial sources identified since the previous Progress Report.

## 3.3 Planning Applications

#### **Merthyr Tydfil Bus Station Development**

MTCBC has had planning permission to build a new bus station at Swan Street, Merthyr Tydfil for a number of years. Modelling in 2015 at the time of application indicated it was not anticipated to result in any breach of any AQS objectives. However the Environmental Health Department had some concerns over the quantity of diffusion tube data and its lack of cold weather data, and the quality of road traffic data used in the model. An agreement was reached that when the bus station opened 4 tubes would be installed in the surrounding area to check the model's real world performance. Site development has been slow due to funding and the level of site clearance. However development has now begun. On 15<sup>th</sup> July 2019 construction of the bus station commenced with an estimated build time of 18 months. Environmental Health will continue to monitor this and install diffusion tubes to monitor NO<sub>2</sub> in the run up to the bus station coming into use.

#### Other planning matters

Planning applications have been for small scale developments and this is expected to continue. These are scattered at various locations throughout the district. They are not considered likely to have a significant effect on air quality.

The Environmental Health Department have commented in the Local Development Plan 2018. Some of the proposed developments are accessed via Twynyrodyn Road, and planning conditions will be used to limit the impact any development can have on the AQMA.

The Local Development Plan includes a large development on the former Hoover Factory site. This will be up to 800 houses, and is also intended to include public transport. Planning conditions may be used to offset the effect on air quality of an increased number of cars, such as charging points for electric vehicles.

Environmental Health have also been asked for pre-application advice on a housing development comprising of 75 dwellings on the old St Tydfil's Hospital Site, which could result in an increased number of vehicles using the diversion routes and the AQMA. An air quality report will need to provide more information on the impact of this development before approval can be considered.

The Environmental Health Department is considering special planning guidance to allow for mitigation of deterioration in air quality.

#### 3.4 Other Sources

Bonfires occur occasionally, both around November 5<sup>th</sup> and in domestic gardens. As these occur on an isolated rather than continuous basis they are not considered likely to significantly affect air quality. Some properties have installed domestic wood burners. This is on a scattered and random basis throughout the borough. Due to the scattered nature it is not considered to have significantly affected air quality.

MTCBC has identified the following new or previously unidentified local developments which may impact on air quality in the Local Authority area.

- Pontmorlais High Street and Avenue de Clichy
- Merthyr Tydfil Bus Station development

These will be taken into consideration in the next Annual Progress Report when further data is available.

Therefore MTCBC will need further consider the implications to local air quality arising from the developments.

## 4. Policies and Strategies Affecting Airborne Pollution

## 4.1 Local / Regional Air Quality Strategy

MTCBC have an informal strategy of addressing air quality. We use diffusion tube monitoring and real time monitoring to assess air quality, and produce the relevant annual reports. Changes to the traffic network are regularly considered including whether these necessitate a change to the air quality monitoring network. MTCBC have taken steps to improve air quality by carrying out the traffic reversal on Pontmorlais High Street and Church Street as identified in the AQMA action plan.

At present the Environmental Health Department is considering drawing up a written local air quality strategy that formalises our current approach. It is likely to be published in 2020/2021 due to current workloads and temporary reductions in staffing levels. The strategy will complement the finalised Welsh Government Air Quality Plan, published in November 2018. When produced it will be made available to the public by our website.

## 4.2 Air Quality Planning Policies

The Local Development Plan 2016-2031 was updated in 2018. Environmental Health provided comments on candidate sites, including on their potential to impact on local air quality. Development includes a small increase in industrial and commercial sites and a significant increase in residential sites, in particular a substantial housing development on the former Hoover site. The size of the Hoover site means that although increased residential use will affect air quality, it offers sustainable travel options being large enough to accommodate a Metro site and/or Park and Ride. The size of modern properties and requirements for roadways and parking mean canyon effects within the development are unlikely offering a degree of protection to residents. As it is likely to be developed in phases by a single large-scale developer this will allow mitigation measures to be considered during the planning process.

Also identified was the conversion of former offices to residential flats, within the town centre. Depending on the location this may necessitate an expansion of the air quality monitoring network, however as the town centre is substantially pedestrianised or otherwise restricted

the air quality impact is not considered to be a major factor. Consideration has also been given to a pre-application for a housing development on the old St Tydfil's Hospital site. Environmental Health are waiting on an Air Quality report to assess the impact the development will have on the diversion routes and the AQMA.

The Environmental Health Department has considered the Special Planning Guidance produced by various councils and is considering producing SPG to require mitigation measures to offset some of the deterioration in air quality caused by increased residential use, particularly the introduction of domestic vehicles to an area. This will be explored further when a local air quality strategy is formalised.

## 4.3 Local Transport Plans and Strategies

MTCBC's local transport plan is as part of the South East Valleys Local Transport Plan, with 4 other councils. These areas make up the capital city region in that they are within commuting distance of Cardiff.

The plan focusses on economic growth both by improving commuting to Cardiff and Newport, and transport to encourage economic growth in other areas, social inclusion through providing transport to disadvantaged areas, and improving environmental quality through safer, healthier and sustainable travel.

The plan considers various other related documents including the Wales Transport Strategy 2008, National Transport Plan 2011 and the Active Travel (Wales) Act 2013. It incorporates the Cardiff Capital Region Metro, a plan to link various modes of transport to improve connectivity between Cardiff and the South East Valleys.

The aim is to offer other modes of transport than driving such as active travel (walking and cycling), regional rail and buses, and highway improvements to ease congestion and assist in freight transport. Aims include integrating active travel and public transport to offer multimodal alternatives to the car.

To carry out the aims of the LTP, MTCBC is expected to seek funding through sources including the private sector and Welsh Government funds. Under the LTP, MTCBC will be developing the new bus station, and aim to provide a railway Park and Ride scheme serving Pentrebach station, improve pedestrian and cycle access to Merthyr College and Cyfarthfa Retail Park and

improve the Taff Trail for active travel. Additionally the LTP covers the dualling of the A465 Heads of the Valleys Road to improve West-East routes between the South East Wales valleys.

## 4.4 Active Travel Plans and Strategies

Active Travel aims to improve access for walking, including the use of mobility scooters, and cycling. It addresses routes to schools, workplaces, shops and services such as healthcare and leisure. It does not address walking or cycling for recreational purposes. MTCBC has improved various walking and cycling routes. Within the next 1-5 years new routes will be developed and in 5 or more years routes will be developed or improved subject to feasibility studies.

It is aimed at improving healthier lifestyles and reducing the negative impacts of traffic on neighbourhoods and communities. The aim of improving the active travel routes is to encourage people to swap from car journeys to active travel methods. By reducing the number of journeys made by car, in particular short journeys where car engines have little time to warm up and perform inefficiently, air quality should improve.

## 4.5 Local Authorities Well-being Objectives

Air pollution is considered in the well-being objectives, specifically in relation to the Twynyrodyn AQMA. There are 4 key areas of well-being: Best start to life; working life; environmental well-being; and living well. Implementation of the action plan to address the Twynyrodyn Road AQMA is a key performance indicator in environmental well-being and a specific project for working life. This is as in addition to affecting air quality congestion affects people's perception of the area and can slow journeys to work.

The key performance indicator set is that  $NO_2$  levels at any diffusion tube along Twynyrodyn Road, should be not more than the current range of 36-48.8µg/m³ prior to 2021 and by 2021 should be <40µg/m³. i.e. Air quality along Twynyrodyn Road should not deteriorate as the action plan is implemented, and by 2021 should have continued to improve and reduce below 10% of the AQS objectives. This timescale allows for the action plan to be revised and further steps implemented if the first step of reversing traffic flow along Pontmorlais High Street and Church Street to ease traffic flow is insufficient.

The Environmental Health Department reports on progress towards this performance indicator at quarterly scrutiny meetings. Following the traffic reversal on 28<sup>th</sup> May 2019, Environmental Health reported to scrutiny on 13<sup>th</sup> January 2020. As bias adjusted data is now available pre and post Period 6 (before and after the traffic reversal) we can now see if it having a positive impact on reducing levels of NO<sub>2</sub> within Twynyrodyn AQMA. In conjunction with this it is also not having a significant negative impact on air quality on Pontmorlais High Street or other diversion routes. More conclusive data will be available during 2020 once the implementation has be in place for a year. The data is currently presented with caution as it's indicative rather than conclusive.

## 4.6 Green Infrastructure Plans and Strategies

MTCBC does not currently have a Green Infrastructure Strategy. Green infrastructure has been considered in the Local Development Plan, and may need formalising into a strategy in the near future.

## 4.7 Climate Change Strategies

The well-being objectives cover the need to limit climate change. Low carbon usage contributes towards the objectives of a prosperous Wales and a resilient Wales. The well-being objectives for MTCBC include, under environmental wellbeing, the key performance indicator of carbon management of local authority buildings. Carbon dioxide emissions from local authority buildings reduced from 2016/2017 to 2018/2019 and there are targets to reduce emissions further. This is in order to comply with Welsh Government's plan for the Welsh Public Sector to be carbon neutral by 2030. Current work includes feasibility studies for solar farms within the county borough.

## 5. Conclusions and Proposed Actions

## 5.1 Conclusions from New Monitoring Data

The level of NO<sub>2</sub> within the Twynyrodyn Road AQMA has now fallen below the AQS objective, specifically at 51 Twynyrodyn Road and 11 Alexandra Terrace lamp-post, which in the previous 4 years has always breached the 40 µg/m³ limit, although both sites are still within 10% of the objective. On this basis, the existing AQMA should not be revoked until a further reduction in level of NO<sub>2</sub> is observed. The action plan has been implemented in 2019. The Highways and Engineering Department reversed traffic flow along Pontmorlais High Street and Church Street on the 28<sup>th</sup> May 2019. The Environmental Health Department will continue to monitor air quality along Twynyrodyn Road to check the changes in traffic flow are continuing to reducing NO<sub>2</sub> concentrations as anticipated. Bias adjusted data for concentrations of NO<sub>2</sub> pre and post Period 6 2019 (before and after the traffic reversal) indicate that the action plan is having the desired effect on reducing NO<sub>2</sub> within the AQMA and not significantly increasing it a long Pontmorlais High Street or other diversion routes. We will be waiting until 12 months of bias adjusted data post-diversion is available before seeking to revoke the AQMA. This is likely to be in 2021.

There were no exceedances outside the AQMA. However some of the monthly NO<sub>2</sub> readings in 2019 were high for 6/7 Ladysmith Square, Troedyrhiw. Site visits showed bottle necks likely to be associated with school pick-ups from a car park to the rear of Twynyrodyn Primary School. On this basis in 2019 MTCBC introduced an additional tube on Cardiff Road, Troedyrhiw (37 Brookfield Terrace), to further investigate the area. Both sites have remained within the AQS objective.

The tube at Swansea Road will remain in place to monitor the impact of Trago Mills, particularly any further development, however at this time there has not been significant congestion observed, and it is not considered likely the AQS objective would be exceeded as the 2019 annual mean NO<sub>2</sub> concentration has decreased and is well below the AQS objective.

## **5.2** Conclusions relating to New Local Developments

Although Cardiff Road is not a new road, it is a new area for investigation. There are concerns based on some of the 2018 and 2019 monthly diffusion tube readings at 6/7 Ladysmith Square

that in certain conditions the AQS objective could be approached. The bottle necks observed on site visits require further investigation. To monitor the situation in 2019 an additional tube (37 Brookfield Terrace) has been introduced to the stretch of road in Troedyrhiw where parking on both sides of the road slows traffic flows. A test one way system may have reduced NO<sub>2</sub> going into early 2019, which will be taken into consideration if in future action becomes necessary. Trago Mills opened in April 2018 and changes in air quality are monitored using a diffusion at Bron-Gelli, Swansea Road (30). Comparing 2018 and 2019 there has been a decrease in NO<sub>2</sub>. The figure continues to remain well within the AQS objective. Trade has been more moderate and steady than expected and the anticipated increase in congestion on the A470 around Trago Mills and Cyfarthfa Retail Park has not been experienced.

The development most likely to have a significant impact on air quality is the dualling project on the A465 Heads of the Valleys Road. The phase of development in Merthyr is expected to start in late 2020 and continue until 2023. At times it will be necessary to close whole sections of the A465 and divert traffic at various times through Dowlais, Twynyrodyn and the Town Centre to re-join the A465 from the A470. This may cause congestion at various pinch points including the Cyfarthfa Retail Park/Trago Mills roundabout and through the AQMA. Each diversion could last a number of months. The impact on air quality may be unavoidable as the scheme to dual to A465 has been assessed as necessary for the long term well-being of Wales. As the effect will be temporary it is not considered necessary to take action at this time. It will be reviewed if any diversions remain in prolonged use or if the public raise health concerns that warrant investigation.

#### **5.3 Other Conclusions**

During 2019 the action plan has been implemented, through reversing traffic flow along Pontmorlais High Street and Church Street. Concentrations of NO<sub>2</sub> have fallen below the AQS objective in the AQMA now alternatives routes from the town centre have been provided. It is anticipated that a further reduction of NO<sub>2</sub> will be observed in 2020.

In the long term the focus of the Local Transport Plan on providing alternatives to using the car should improve air quality, as will improvements to the existing vehicle fleet as older vehicles are replaced.

The Environmental Health Department will continue to monitor air quality and will look to produce an air quality strategy, and are considering special planning guidance around air quality. Due to temporary changes in staffing levels in 2019, it is likely these documents will not be finalised until after that date.

## **5.4** Proposed Actions

The following actions are proposed to address air quality:

- No new AQMAs will be declared in 2019.
- The existing AQMA will not be revoked at this time as the reduction in annual mean NO<sub>2</sub> is still within 10% of the AQS objective. When bias adjusted data from 2020 is available this may be reconsidered, although 12 months bias adjusted data post-traffic reversal will not be available until 2021. In order to revoke the AQMA MTCBC would need to be satisfied the action plan had been proven to be successful and to have long term effects.
- Monthly monitoring data to date from 6/7 Ladysmith Square indicates that although bottle necks exist the NO<sub>2</sub> concentrations at this site remain within the AQS objective.
   Additional monitoring at Brookfield Terrace will be used to check the bottle necks are not having an effect at other locations on Cardiff Road, specifically in the area of parked cars at Tydfil Terrace opposite narrowing of the road.
- When construction of the Bus Station Development is near completion diffusion tubes will be installed in anticipation of its opening. They will remain in place for a period of at least 3 years.
- In 2020 when staffing levels have increased and there is capacity to do so, the
  department will look to produce strategies and policies, in particular focussing on
  collaboration with other departments to take a proactive stance in preventing or
  minimising the effects of air pollution.

## References

Title	Author	Date
Prince Charles Hospital, Merthyr Tydfil	AEA for MTCBC	2011
Detailed Assessment of Air Quality		
Particulate Measurement at Twynyrodyn Primary	AQ Data Services for	2016
School Monitoring Site - 2015 Data	Miller Argent (South	
	Wales) Ltd	
Detailed Assessment of Air Quality at Twynyrodyn	AQC for MTCBC	2009
Road, Merthyr Tydfil		
South East Valleys Local Transport Plan	Blaenau Gwent CBC,	2015
	Caerphilly CBC,	
	Merthyr Tydfil CBC,	
	Rhondda Cynon Taff	
	CBC and Torfaen CBC	
Local Air Quality Management – Technical Guidance	DEFRA	2016
(LAQM TG(16))		
National Diffusion Tube Bias Adjustment Factor	DEFRA	2020
Spreadsheet (06/20)		
Local Air Quality Management Technical Guidance	Defra	2018
(TG16)		
LAQM Helpdesk February 2019: Summary of	LAQM	2019
laboratory performance in AIR NO <sub>2</sub> proficiency		
testing scheme April 2017 – February 2019		
First Stage Review and Assessment	МТСВС	1998
Second Stage Review and Assessment	МТСВС	2000
Progress Report	МТСВС	2004
Updating and Screening Assessment	МТСВС	2004
Progress Report	МТСВС	2005
Updating and Screening Assessment	МТСВС	2006
Progress Report	MTCBC	2007

Progress Report	МТСВС	2008
Updating and Screening Assessment	MTCBC	2009
Progress Report	MTCBC	2010
Progress Report	MTCBC	2011
Updating and Screening Assessment	MTCBC	2012
Progress Report	MTCBC	2013
Progress Report	MTCBC	2014
Detailed Assessment of Air Quality at Twynyrodyn	MTCBC	2015
Road, Merthyr Tydfil		
Updating and Screening Assessment	MTCBC	2015
Progress report	MTCBC	2016
Progress report	MTCBC	2017
Annual Report	MTCBC	2018
Annual Report	MTCBC	2019
Active Travel Policy	MTCBC	2017
First replacement Local Development Plan 2016-	MTCBC	2018
2031		
Focus on the future: Wellbeing in our community	MTCBC	2018
2017-2022		
Wellbeing of Future Generations (Wales) Act 2015	Welsh Government	2015

## **Appendices**

Appendix A: Monthly Diffusion Tube Monitoring Results

Appendix B: A Summary of Local Air Quality Management

Appendix C: Air Quality Monitoring Data QA/QC

Appendix D: AQMA Boundary Maps

Appendix E: ECC Meteorological data, NO2 and O3 15-minute readings

## **Appendix A: Monthly Diffusion Tube Monitoring Results**

Table A.1 – Full Monthly Diffusion Tube Results for 2019

	NO <sub>2</sub> Mean Concentrations (μg/m³)														
														Annual Me	an
Site ID	Period 1 09/01/19 – 06/02/19	Period 2 06/02/19 – 06/03/19	Period 3 06/03/19 – 03/04/19	Period 4 03/04/19 – 01/05/19	Period 5 01/05/19 – 05/06/19	Period 6 05/06/19 – 03/07/19	Period 7 03/07/19 – 07/08/19	Period 8 07/08/19 – 04/09/19	Period 9 04/09/19 – 02/10/19	Period 10 02/10/19 – 06/11/19	Period 11 06/11/19 – 04/12/19	Period 12 04/12/19 – 08/01/20	Raw Data	Bias Adjusted (factor) and Annualised	Distance Corrected to Nearest Exposure
1	35.8	33.4	25.3	25.5	25.2	22.8	26.6	25.6	29.8	39.9	43.9	36	30.8	23.1	23.1
2	29.4	24.8	21.3	20.8	19	17.5	15.2	14.9	19.7	24.6	30.9	27.4	22.1	16.6	16.6
3	20.2	19.9	18	15.6	14.7	10.3	8.3	7.1	11.8	17.5	17.5	17.3	14.9	11.1	11.1
4	38.1	36.8	33.1	40	29.9	27.9	24.5	20.9	30	36.5	45.2	36	33.2	24.9	24.9
5	32.3	26.6								27.2	33.2	29.1	29.7	22.3	22.3
6	45.6	39.1	35.5	29	25.2		22.3		28.1		40.3	39	33.8	25.3	25.3
7	32.2	29.3	24	24.9	29.3	17.7	14.2	13.7	18.8	22.5	30.5	28.7	23.8	17.9	17.9
8	37.5	25	29.2		20.7	20.5	17	15	22.6	27.3	37.4	23.5	25.1	18.8	18.8
9	20.7	13.9	12.8	13.9	8.6	7.5	6.1	20.8	8.8	14.3	25.2	17.4	14.2	10.6	10.6
10	49.6	44.9	38.2	44	33.2	34.2	32.3	28.4	40.8	49.6	51.4	44.5	40.9	30.7	30.7
11	60.6	43.8	56.5	47.6	48.1	42.6	34.5	29	43.1	45.8	59.9	48.6	46.7	35	35
12	25.9	36.4	29	38.5	22.6	21.8	21.3	18	27.2	33.2	44.4	34.2	29.4	22	22
13	33.8	31.1	26.5	26	23.2	27.6	24.2	23.7	29.1	34.1		38.5	28.9	21.7	21.7
14	59.7	43.1	54.9	48	44.6	41.1	33.6	27.6	25.8	48.9	56.8	46.5	44.2	33.2	33.2
15	21.8	20.2	16.9	14.1	12.2	10.9	9	8.6	13.1	15.9	19.9	21.5	15.3	11.5	11.5
16	17	20.2	16.6	15.7	10.8	11	9.8	9.1	14.1	18	24	18.5	15.4	11.6	11.6
17	32.4	28.4	26.9	25.8	17.5	17.9	16.9	16.8	23.6	28.2	35.7	31.5	25.1	18.9	18.9
18	35.8	40.1	36.7	34.5	29.7	27	23.9	23.6	27.4	31.7	38.5	36.3	32.1	24.1	24.1
19	33.4	29.3	27.1	23.5	20.7	18.8	16.7	17.4	22.7	30.2	34	31.9	25.5	19.1	19.1

	NO₂ Mean Concentrations (μg/m³)														
														Annual Me	an
Site ID	Period 1 09/01/19 – 06/02/19	Period 2 06/02/19 – 06/03/19	Period 3 06/03/19 – 03/04/19	Period 4 03/04/19 – 01/05/19	Period 5 01/05/19 – 05/06/19	Period 6 05/06/19 – 03/07/19	Period 7 03/07/19 – 07/08/19	Period 8 07/08/19 – 04/09/19	Period 9 04/09/19 – 02/10/19	Period 10 02/10/19 – 06/11/19	Period 11 06/11/19 – 04/12/19	Period 12 04/12/19 – 08/01/20	Raw Data	Bias Adjusted (factor) and Annualised	Distance Corrected to Nearest Exposure
20	32.4	34.9	37.5	45.7	31.8	26.2	23.9	20.5	33	39.6	51	37.2	34.5	25.9	25.9
21	61.4	51.9	60.3	56.8	53.6	42.2	34.7	36.7	46.8	52.6	65.5	49.4	51	38.2	38.2
22	40.5	45.9	39.4	41.4	33.3	29	26.7	26.6	29.6				34.7	26	26
23	27.7	24.6	23.1	26.5	18.6	19.9	17.6	16.5	22.2	27.6	36.6	31.9	24.4	18.3	18.3
24	40	38.4	29	34.8	27.1	23.4	20.7	29		32.7	39.9	34	31.7	23.8	23.8
25	46.7	46.8	40.6		29.3	30.6	27.7	24.5	31.6	39.9	47.6	42.5	37.1	27.8	27.8
26	27	28.2	22.2	28.1	17.6	15	12.8	12.9	19	26.7	32.6	26	22.3	16.8	16.8
27	11.1	24.5	3.7	38.6	15.8	12.3	10.1	10.9	13.5	19.2	25.6	24.4	17.5	13.1	13.1
28	29	28.8	24.9	23.6	16.9	14.9	12.7	12.3	17.5	24.1	30.1	24.8	21.6	16.2	16.2
29	54.3	49.2	49.1	41.1	35.5	36.4	35.9	30.7	42.3	48.2	57	51.8	44.3	33.2	33.2
30	15	30.1	11.8	31.3	21.6	20.7	17.5	16.3	23.2	29.1	37.6	31.2	23.8	17.8	17.8
31								18.8	24	30.8	39.2	34.4	29.4	22.1	22.1

#### Notes:

Exceedances of the  $NO_2$  annual mean objective of  $40\mu g/m^3$  are shown in **bold**.

NO<sub>2</sub> annual means exceeding 60μg/m³, indicating a potential exceedance of the NO<sub>2</sub> 1-hour mean objective are shown in **bold and underlined**.

- (1) See Appendix C for details on bias adjustment and annualisation.
- (2) Distance corrected to nearest relevant public exposure.

## **Appendix B: A Summary of Local Air Quality Management**

## **Purpose of an Annual Progress Report**

This report fulfils the requirements of the Local Air Quality Management (LAQM) process as set out in the Environment Act 1995 and associated government guidance. The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas and to determine whether or not the air quality objectives are being achieved. Where exceedances occur, or are likely to occur, the local authority must then declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) within 18 months of declaration setting out the measures it intends to put in place in pursuit of the objectives. Action plans should then be reviewed and updated where necessary at least every 5 years.

For Local Authorities in Wales, an Annual Progress Report replaces all other formal reporting requirements and have a very clear purpose of updating the general public on air quality, including what ongoing actions are being taken locally to improve it if necessary.

## **Air Quality Objectives**

The air quality objectives applicable to LAQM in Wales are set out in the Air Quality (Wales) Regulations 2000, No. 1940 (Wales 138), Air Quality (Amendment) (Wales) Regulations 2002, No 3182 (Wales 298), and are shown below in **Error! Reference source not found.** 

The table shows the objectives in units of micrograms per cubic metre  $\mu g/m^3$  (milligrams per cubic metre,  $mg/m^3$  for carbon monoxide) with the number of exceedances in each year that are permitted (where applicable).

LAQM Annual Progress Report 2020

Table B.1 – Air Quality Objectives Included in Regulations for the Purpose of LAQM in Wales


Dellutent	Air Quality Objective	Date to be	
Pollutant	Concentration	Measured as	achieved by
Nitrogen	200μg/m³ not to be exceeded more than 18 times a year	1-hour mean	31.12.2005
Dioxide (NO <sub>2</sub> )	40μg/m³	Annual mean	31.12.2005
Particulate	50μg/m³, not to be exceeded more than 35 times a year	24-hour mean	31.12.2010
Matter (PM <sub>10</sub> )	40μg/m³	Annual mean	31.12.2010
	350μg/m <sup>3</sup> , not to be exceeded more than 24 times a year	1-hour mean	31.12.2004
Sulphur dioxide (SO <sub>2</sub> )	125μg/m³, not to be exceeded more than 3 times a year	24-hour mean	31.12.2004
	266μg/m³, not to be exceeded more than 35 times a year	15-minute mean	31.12.2005
Benzene	16.25μg/m³	Running annual mean	31.12.2003
	5μg/m³	Annual mean	31 12 2010
1,3 Butadiene	2.25μg/m³	Running annual mean	31.12.2003
Carbon Monoxide	10.0mg/m <sup>3</sup>	Maximum Daily Running 8-Hour mean	31.12.2003
Lead	0.25μg/m³	Annual Mean	31.12.2008

## **Appendix C: Air Quality Monitoring Data QA/QC**

#### **Diffusion Tube Bias Adjustment Factors**

Diffusion tubes may systematically under- or over-read NO<sub>2</sub> concentrations compared to a chemiluminescent analyser. This is known as bias and can be adjusted for using a suitable bias adjustment factor. Applying a bias adjustment factor improves the accuracy of the data. Merthyr Tydfil County Borough Council does not undertake any co-location studies and as such applies a National bias adjustment factor.

The National bias adjustment factor applied was obtained from National Diffusion Tube Bias Adjustment Factor Spreadsheet: Spreadsheet Version Number: 03/20. This is the most up to date version of the spreadsheet at the time of writing. The tubes used are supplied and analysed by Socotec. They are analysed using 50% TEA in acetone. 24 co-location studies were undertaken in England and Wales in 2018, and an overall bias adjustment factor of 0.75 was obtained as shown in the abstract below.



LAQM Annual Progress Report 2020

**Factor from Local Co-location Studies** 

None - no co-location studies are currently undertaken by Merthyr Tydfil County Borough

Council. Although there is a continuous ECC NO<sub>2</sub> monitor collocated with 1 diffusion tube

at 98 Pontmorlais High Street, the monitor is not suitable for a colocation study in that it is

not a chemiluminescent monitor as specified in best practice.

Discussion of Choice of Factor to Use

A national Bias Adjustment Factor has been used for the following reasons:

• There are currently no co-location studies undertaken in accordance with best

practice in Merthyr Tydfil County Borough.

The sites listed in the Bias Adjustment Factor spreadsheet are in generally

comparable locations and;

• The diffusion tube mean concentrations measured at significant Merthyr sites are

within the range of results obtained from the specified national co-location sites;

Although there are general similarities between the sites there are also some significant

differences. The derived bias adjustment factor is therefore used with a degree of caution.

**PM Monitoring Adjustment** 

**Instrument Service Routine** 

Main QA and QC procedures for the Thermo Fisher TEOM analysers are carried out at the

routine service visits, normally carried out at 6 monthly intervals by AQ Data Services.

**Filter Change Procedures** 

At each site visit for exchange of the TEOM filters, a routine of record keeping has been

established whereby the analyser operating parameters (flow, temperatures etc.) are

recorded before and after the filter change. This gives a reference datum of instrument

performance at that time, and can often give good information on flows beginning to drop

off etc., which can assist in arranging call-out of support engineers thereby preventing

down time for the analyser.

LAQM Annual Progress Report

2020

79

**Data Collection / Storage** 

Analog outputs from the 2 TEOM analysers are fed to the data logger system. To ensure

correct analog to digital conversion, periodic checks are made to compare the data stored

within the system against the internal data storage within each of the TEOM analyser

control units.

PM Monitoring Adjustment

Equivalence Testing has shown that the TEOM can under read possible losses of volatile

material from the TEOM filter.

Data can be corrected for the loss of volatiles by applying the King's College London Volatile

Correction Model – a spreadsheet for Correction. The VCM takes FDMS purge

measurements from the two nearest FDMS equipped TEOM analysers, and an average of

all the other FDMS purge measurements within 130 km. The two nearest sites are Port

Talbot AURN at Margam Fire Station and Newport AURN. More information on the VCM

can be found at http://www.volatile-correction-model.info/.

At the time of writing data from the FDMS purge measurements used had been ratified and

the PM<sub>10</sub> and PM<sub>2.5</sub> data should be considered reliable.

Short-Term to Long-Term Data Adjustment

The site that needed adjustment from a period mean to an annual mean was the ECC

automatic monitor. There were significant gaps in the data at the start and end of the year,

when the sensors failed and were replaced. There were also some periods of intermittent

signal so some data was not collected. The 2 nearest suitable sites were identified as

chemiluminescent monitors in Cwmbran (99% data capture) and Newport (98% data

capture). Ideally 3 urban background monitors would have been selected, however there

was only 2 urban background monitors with suitable data capture. On advice from the Air

Quality Helpdesk the 2 sites were selected on the basis of their high levels of data capture.

LAQM Annual Progress Report

2020

80

A suitable period of continuous data from the ECC was identified as from 01/01/19 – 14/01/19, and this was matched with monitoring from the chemiluminescent monitors to obtain relevant period means.

The period mean for the ECC for this time was  $33.47 \mu g/m^3$ , and based on an AM:PM ratio of 0.62, this gave an annual mean of  $20.8 \mu g/m^3$ .

Table C.1 – Short-Term to Long-Term Monitoring Data Adjustment

Site	Site Type	Annual Mean (μg/m³)	Period Mean (μg/m³)	Ratio
Cwmbran	Urban background	11.91	19.19	0.62
Newport	Urban background	19.89	32.06	0.62
Average				0.62

#### **QA/QC** of Automatic Monitoring

The ECC is manufactured by Air Monitors UK. The model is the AQMesh Pod. It was first produced in 2013 and has been through regular upgrades to improve performance.

The ECC is tested and calibrated by the manufacturer. In laboratory conditions accuracy is ±5ppb. It is designed with a sensor life and battery life of 2 years. After 2 years the battery and sensors should be replaced. It has also been discovered recently that the sensors can fail in cold and damp conditions, and this should be checked for to enable fast replacement and to minimise data loss.

Colocation studies have been carried out against reference methods such as the chemiluminescent monitor. The correlations are variable, with v4.2 in 3 trials giving correlation of 0.70, 0.81 and 0.89. This shows the device should be used for indications of variations in NO<sub>2</sub>, rather than as an accurate NO<sub>2</sub> concentration.

LAQM Annual Progress Report 2020

Once installed on site there is a short period of stabilisation as the ECC adjusts to

environmental conditions. During the 2-year lifespan of the sensors and battery no further

calibration is required. Performance may be affected after 2 years.

When re-installed in 2016 the device was collocated with 2 diffusion tubes and could be

checked for significant differences. It was generally within 10% of diffusion tubes, with a

tendency to under-read. Looking at the pattern between 2014 and 2018 with Tube 14 – 55

Twynyrodyn Road only it has fluctuated between over-reading by +14% and under-reading

by -17%. In 2019 the ECC has over-read by around +14%. On the basis of it not being the

recognised continuous monitoring technique and its periods of prolonged downtime it is

regarded as an indicator of temporal fluctuations, and we will continue to use bias adjusted

diffusion tubes as the key mechanism for establishing the annual mean NO2 concentration.

QA/QC of Diffusion Tube Monitoring

Diffusion tubes were manufactured and analysed by Socotec. The absorbant is analysed for

NO<sub>2</sub> concentration using 50% TEA in acetone. Diffusion tubes were kept and used in

accordance with the manufacturer's instructions, and were left out for a minimum of 4

weeks.

Precision is the ability of a measurement to be consistently reproduced. Diffusion tubes are

defined as having good precision when the coefficient of variation between triplicate tubes

is <20% for eight periods out of 12, and <10% overall. In 2019 good precision was found in

24 out of 24 co-location studies. As such the precision for the diffusion tubes used in

Merthyr Tydfil County Borough in 2018 is likely to be good.

Socotec participates in the AIR PT NO<sub>2</sub> proficiency testing, an independent scheme

supported by the Health and Safety Laboratory (HSL). It uses artificially spiked Palmes type

diffusion tubes on a quarterly basis to determine a laboratory's analytical performance.

LAQM Annual Progress Report

2020

82

Tubes are doped with a known amount of nitrate to determine accuracy, with at least two of the tubes being duplicates, to determine laboratory performance. A different mass of nitrate is used each quarter and reflect the typical analytical range encountered in  $NO_2$  monitoring in the UK. From this a performance score (z-score) is generated based on deviation between the known concentration and the value measured by the laboratory. Laboratories with 19 out of 20 (95%), from 5 rounds of testing, z-scores of  $\leq \pm 2$  provide satisfactory performance. For the quarters from January – February 2018 to January – February 2019, Socotec for 97.5% of testing achieved z-scores within this range. This is above 95%, the threshold for a laboratory to be considered satisfactory, and as such the results are regarded as satisfactory.

LAQM Annual Progress Report 2020

## **Appendix D: AQMA Boundary Maps**



# Appendix E: ECC Meteorological data, NO<sub>2</sub> and O<sub>3</sub> 15-minute readings

The data is available on request.

## **Glossary of Terms**

Abbreviation	Description
AQ	Air quality
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the LA intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
AQS	Air quality standard
APR	Air quality Annual Progress Report
AURN	Automatic Urban and Rural Network (UK air quality monitoring network)
со	Carbon monoxide
DA	Detailed assessment
Defra	Department for Environment, Food and Rural Affairs
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by Highways England
ECC	Electrochemical cell
FDMS	Filter Dynamics Measurement System
LAQM	Local Air Quality Management
mg/m³	Milligrams of the pollutant per cubic metre of air
μg/m <sup>3</sup>	Micrograms of the pollutant per cubic metre of air
МТСВС	Merthyr Tydfil County Borough Council
NO	Nitric oxide
NO <sub>2</sub>	Nitrogen Dioxide

NO <sub>x</sub>	Nitrogen Oxides			
O <sub>3</sub>	Ozone			
PM <sub>10</sub>	Airborne particulate matter with an aerodynamic diameter of $10\mu m$ (micrometres or microns) or less			
PM <sub>2.5</sub>	Airborne particulate matter with an aerodynamic diameter of 2.5μm or less			
QA/QC	Quality Assurance and Quality Control			
SPG	Special planning guidance			
SO <sub>2</sub>	Sulphur Dioxide			
ТЕОМ	Tapered element oscillating microbalance			
TRO	Traffic Regulation Order			
USA	Updating and Screening Assessment			
WAQF	Welsh Air Quality Forum			